DECLARATION

I, Natsuo TANAKA, of HIRAKI & ASSOCIATES, do solemnly and sincerely declare as follows:

1. That I am well acquainted with the English and Japanese languages and am competent to translate from Japanese into English.

2. That I have executed, with the best of my ability, a true and correct translation into English of Japanese Patent Application No. 2001-227510 filed on July 27, 2001, a copy of which I attach herewith.

This 6th day of April, 2005

N. Tanaka

Natsuo TANAKA

(Translation)

PATENT OFFICE
JAPANESE GOVERNMENT

This is to certify that the annexed is a true copy of the following application as filed with this Office.

Date of Application:	July 27, 2001
Application Number:	Japanese Patent Application No. 227510/2001
Applicant(s):	JURIDICAL FOUNDATION THE CHEMO-SERO-THERAPEUTIC RESEARCH INSTITUTE

Commissioner,
Patent Office (seal)

[Name of document] Patent Application

[Reference Number] JP403PR1YS

[Addressee] Commissioner, Patent Office

[IPC] A61K 38/46
C12N 9/64
C07K 16/18

[Inventor]

[Address or Residence] c/o The Kikuchi Research Center, Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 1314-1, Yon-no-nishioki, Kawabe, Kyokushimura, Kikuchi-gun, Kumamoto

[Name] Kenji SOEJIMA

[Inventor]

[Address or Residence] c/o The Kikuchi Research Center, Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 1314-1, Yon-no-nishioki, Kawabe, Kyokushimura, Kikuchi-gun, Kumamoto

[Name] Noriko MIMURA

[Inventor]

[Address or Residence] c/o The Kikuchi Research Center, Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 1314-1, Yon-no-nishioki, Kawabe, Kyokushimura, Kikuchi-gun, Kumamoto

[Name] Hiroaki MAEDA

[Inventor]

[Address or Residence] c/o The Kikuchi Research Center, Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 1314-1, Yon-no-nishioki, Kawabe, Kyokushimura, Kikuchi-gun, Kumamoto

[Name] Chikateru NOZAKI

[Inventor]

[Address or Residence] c/o Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 6-1, Okubo 1-chome, Kumamoto-shi, Kumamoto

[Name] Takayoshi HAMAMOTO

[Inventor]

[Address or Residence] c/o Juridical Foundation The Chemo-Sero-Therapeutic Research Institute, 6-1, Okubo 1-chome, Kumamoto-shi, Kumamoto

[Name] Tomohiro NAKAGAKI

[Applicant]

[Identification Number] 000173555

[Address or Residence] 6-1, Okubo 1-chome, Kumamoto-shi, Kumamoto

[Name] JURIDICAL FOUNDATION THE CHEMO-SERO-THERAPEUTIC RESEARCH INSTITUTE

[Representative] Kyoji UCHINO

[Priority Claim Based on Earlier Application]

[Application No.] Japanese Patent Application No.2001-128342

[Date of Application] April 25, 2001

[Indication of Fees]

[Deposit Ledger Number] 056568

[Amount Paid] 21000

[List of Attached Documents]

[Name of Document] Specification 1

[Name of Document] Drawing 1

[Name of Document] Abstract 1

[Necessity of Proof] Necessary

[Document Name] Specification

[Title of the Invention] von Willebrand Factor (vWF)-Cleaving Protease

[Claim]

[Claim 1] A protease that is capable of cleaving a bond between residues Tyr-842 and Met-843 of von Willebrand factor (hereinafter referred to as "vWF") and comprises a polypeptide chain having the amino acid sequence Leu-Leu-Val-Ala-Val as a partial sequence or an amino acid sequence with deletion, substitution, or addition of one or several amino acids in said amino acid sequence.

[Claim 2] The protease according to claim 1, which has molecular weight of 105 to 160 kDa in SDS-PAGE under reducing conditions.

[Claim 3] The protease according to claim 1 or 2, which comprises a polypeptide chain having the amino acid sequence Ala-Ala-Gly-Gly-Ile-Leu-His-Leu-Glu-Leu-Leu-Val-Ala-Val as the N-terminal partial sequence of a mature protein or an amino acid sequence with deletion, substitution, or addition of one or several amino acids in said amino acid sequence.

[Claim 4] The protease according to any one of claims 1 to 3, which comprises a polypeptide chain having an amino acid sequence with deletion, substitution, or addition of one or several amino acids in the amino acid sequence as shown in SEQ ID NO: 3 or 7 or a partial sequence of any of the aforementioned amino acid sequences as the N-terminal partial sequence of a mature protein or the aforementioned amino acid sequence.

[Claim 5] The protease according to any one of claims 1 to 4, which comprises a polypeptide chain having an amino acid sequence with deletion, substitution, or addition of one or several amino acids in the amino acid sequence as shown in any of SEQ ID NOs: 16 to 21.

[Claim 6] A gene fragment encoding a protease that is capable of cleaving a bond between residues Tyr-842 and Met-843 of von Willebrand factor

(hereinafter referred to as "vWF") and comprises a polypeptide chain having the amino acid sequence Leu-Leu-Val-Ala-Val as a partial sequence or an amino acid sequence with deletion, substitution, or addition of one or several amino acids in said amino acid sequence.

[Claim 7] A gene fragment encoding the protease according to any one of claims 2 to 5.

[Claim 8] DNA encoding the protease according to any one of claims 1 to 5, which comprises a nucleotide sequence encoding a polypeptide capable of cleaving a bond between residues Tyr 842 and Met 843 of vWF comprising CTG CTG GTG GCC GTG or with deletion, substitution, or addition of one or several nucleotides therein.

[Claim 9] The DNA encoding a protease according to claim 8, which comprises a nucleotide sequence comprising GCT GCA GGC GGC ATC CTA CAC CTG GAG CTG CTG GTG GCC GTG or with deletion, substitution, or addition of one or several nucleotides therein.

[Claim 10] The DNA encoding a protease according to claim 8 or 9, which comprises a nucleotide sequence with deletion, substitution or addition of one or several nucleotides in the nucleotide sequence as shown in SEQ ID NO: 6 or a partial sequence of any of the nucleotide sequences, or the nucleotide sequence.

[Claim 11] The DNA encoding a protease according to any one of claims 8 to 10, which comprises a nucleotide sequence with deletion, substitution or addition of one or several nucleotides in the nucleotide sequence as shown in SEQ ID NO: 15 or a partial sequence of any of the nucleotide sequences, or the nucleotide sequence.

[Claim 12] A pharmaceutical composition comprising the protease according to any one of claims 1 to 5.

[Claim 13] An antibody against the protease according to any one of claims 1 to 5.

[Claim 14] A pharmaceutical composition or diagnostic agent comprising an antibody against the protease according to any one of claims 1 to 5.

[Claim 15] A pharmaceutical composition or diagnostic agent comprising the DNA according to any one of claims 8 to 10 or antisense DNA thereof.

[Claim 16] A process for assaying vWF-cleaving activity, wherein a protease-substrate reaction is carried out using vWF and vWF-cleaving protease on a membrane filter, and a substrate sample is then recovered from the filter, followed by SDS-PAGE analysis without Western blotting.

[Claim 17] A process for preparing the protease according to any one of claims 1 to 5, wherein human plasma fraction I paste is used as a starting material.

[Detailed Description of the Invention]

[0001]

[Field of the Invention]

The present invention relates to a plasma protein related to the field of medical drugs. More particularly, the present invention relates to a protease that specifically cleaves von Willebrand factor (it may be hereafter referred to as "vWF"), which is associated with blood coagulation. The vWF-cleaving protease of the present invention enables replacement therapy for patients with diseases resulting from defects or decreases in this protease, such as thrombotic thrombocytopenic purpura (it may be hereafter referred to as "TTP"). In addition, the use thereof as a novel antiplatelet thrombotic agent is expected.

[0002]

[Prior Arts and Problems to be Solved by the Invention]

vWF is produced in vascular endothelial cells or megakaryocytes, and is a blood coagulation factor in which a single subunit comprising 2,050 amino acid residues (monomers of about 250 kDa) are bound by an S-S bond to form a multimer structure

(with a molecular weight of 500 to 20,000 kDa). The level thereof in the blood is about 10 μg/ml, and a high-molecular-weight factor generally has higher specific activity.

vWF has two major functions as a hemostatic factor. One of the functions is as a carrier protein wherein vWF binds to the blood coagulation factor VIII to stabilize it. Another function is to form platelet plug by adhering and agglomerating platelets on the vascular endothelial subcellular tissue of a damaged vascular wall.

[0003]

Thrombotic thrombocytopenic purpura is a disease that causes platelet plug formation in somatic arterioles and blood capillaries throughout the whole body. In spite of recent advances in medical technology, the morbidity associated with this disease approximately tripled from 1971 to 1991. Pathologically, TTP is considered to result from vascular endothelial cytotoxicity or vascular platelet aggregation. Immunohistologically, a large amount of vWFs are recognized in the resulting platelet plugs, and vWF is considered to play a major role in causing them. A normal or high-molecular-weight vWF multimer structure is dominant in a TTP patient, and an unusually large vWF multimer (ULvWFM) or large vWF multimer (LvWFM) is deduced to play a major role in accelerating platelet aggregation or microthrombus formation under high shearing stress. In contrast, vWF was known to degrade at a position between residues Tyr 842 and Met 843 by the action of vWF-cleaving protease in the circulating blood of a healthy person under high shearing stress. Accordingly, TTP is considered to occur in the following manner. The protease activity in the plasma is lowered for some reason, and ULvWFM to LvWFM are increased to accelerate platelet aggregation. This forms platelet plugs in blood vessels.

[0004]

Recently, Furlan et al. (Blood, vol. 87, 4223-4234: 1996, JP Patent Publication (Kohyo) No. 2000-508918) and Tsai et al. (Blood, vol. 87, 4235-4244: 1996) developed a method for assaying vWF-specific cleaving protease. In their report, this protease activity was actually lowered in TTP. The aforementioned authors reported that this enzyme was metalloprotease in the plasma and partially purified. However, they have

not yet succeeded in the amino acid sequencing which would specify the protease. There have been no further developments since then.

[0005]

[Problems for Solving the Problem]

Up to the present, plasmapheresis therapy has been performed for treating patients who congenitally lack vWF-specific cleaving protease and patients who had acquired positive antibodies against this protease. Establishment of replacement therapy using purified products or a pure substance such as a recombinant gene product of the aforementioned protease is desired. Familial TTP patients congenitally lack vWF-specific cleaving protease, and non-familial TTP is caused by posteriori production of autoantibodies against the aforementioned protease. Accordingly, replacement therapy for this protease is preferable for familial TTP patients (plasma administration is actually performed), and removal of autoantibodies by plasmapheresis and substitution of this protease are necessary for non-familial TTP. Further, the use of this protease as a novel antiplatelet thrombotic agent can also be expected.

As mentioned above, however, Furlan et al. (Blood, vol. 87, 4223-4234: 1996, JP Patent Publication (Kohyo) No. 2000-508918) and Tsai et al. (Blood, vol. 87, 4235-4244: 1996) have suggested that the vWF-cleaving protease was metalloprotease in the plasma. It was reported to be partially purified, and concentrated 1,000- to 10,000-fold from the plasma in terms of its specific activity. Even under these conditions, there has been no advancement in the analysis of the properties of this protease, such as the amino acid sequence of its protein, over the period of roughly 5 years that has passed since then. No specific biological information has yet been obtained regarding this protease. As reported by Furlan et al., the protein of interest is supposed to be gigantic, and there may be various problems associated therewith. For example, diversified forms of this protease, such as various interacting molecules or cofactors, are expected. Based on the complexity of purification processes, deteriorated capacity of separation by nonspecific interaction during the purification step, and other factors, it is deduced to be very difficult to isolate and identify the protease

from a plasma fraction by the purification process according to Furlan et al.

[0006]

[Means for Solving the Problem and Embodiments of the Invention]

Under the above circumstances, the present inventors have conducted concentrated studies in order to isolate and identify the vWF-cleaving protease. As a result, they have succeeded in isolating and purifying the vWF-cleaving protease of interest, which had not yet been reported. Thus, they have succeeded in identifying an amino acid sequence of the mature protein and a gene encoding this amino acid sequence.

The vWF-cleaving protease of the present invention can cleave a bond between residues Tyr 842 and Met 843 of vWF. Preferably, this protease has a molecular weight of 105 to 160 kDa in SDS-PAGE under reducing conditions. It is comprised of a polypeptide chain having Leu-Leu-Val-Ala-Val as a partial sequence. More preferably, it is comprised of a polypeptide chain having the partial N-terminal amino acid sequence of a mature protein, i.e., Ala-Ala-Gly-Gly-Ile-Leu-His-Leu-Glu-Leu-Leu-Val-Ala-Val. It is a novel substance characterized by the following properties.

[0007]

1) vWF-cleaving activity

According to the N-terminal sequence analysis of the cleavage fragment, the protease of the present invention cleaves a peptide bond between residues Tyr 842 and Met 843.

2) Fractionation by gel filtration

When fractionation is performed by gel filtration chromatography, most activities are collected in a fraction with a molecular weight of 150 to 300 kDa. According to one embodiment of the present invention, an actually obtained active substance is found to have a molecular weight of about 105 to 160 kDa in electrophoresis. Accordingly, the protease of the present invention is a substance that is likely to form a dimer or the like or to bind to another molecule.

3) Ammonium sulfate precipitation

A large portion of this protease is recovered as a precipitation fraction from a roughly purified fraction with the use of 33% saturated ammonium sulfate.

4) SDS-PAGE

The protease of the present invention has a molecular size of about 105 to 160 kDa determined by a molecular weight marker in SDS-PAGE in both of reduced condition or non-reduced condition. Further, this protease could be partially recovered in an active state after SDS-PAGE under non-reducing conditions.

[0008]

5) Analysis of amino acid sequence

The amino acid sequence of the isolated polypeptide fragment was analyzed. This presented an example of a polypeptide chain having a sequence Ala-Ala-Gly-Gly-Ile-Leu-His-Leu-Glu-Leu-Leu-Val-Ala-Val as a N-terminal amino acid sequence of a mature protein. Further, with current bioinformatics (BIOINFORMATICS: A Practical Guide to the Analysis of Genes and Proteins, edited by Andreas D. Baxevanis and B. F. Francis Ouellette), a nucleic acid sequence encoding the amino acid sequence was highly accurately identified by searching a database based on the aforementioned partial sequence. More specifically, the genome database was searched by the tblastn program. This identified a chromosome clone (AL158826) that is deduced to encode the protease of the present invention. Further, clones (AI346761 and AJ011374) that are deduced to be a part of the protease of interest and a part of the polypeptide to be encoded by the aforementioned genome were identified through collation with the Expressed Sequence Tag (EST) database. Based thereon, the amino acid sequence as shown in SEQ ID NO: 3 or 7 was identified as an active vWF-cleaving protease site.

[0009]

GCT GCA GGC GGC ATC CTA CAC CTG GAG CTG CTG GTG GCC GTG, a sequence deduced from the genome, and more preferably CTG CTG GTG GCC GTG, a portion thereof, the transcriptome of which was confirmed by EST, was obtained. The obtained nucleotide sequence was analyzed, and motif analysis was carried out based on

the deduced sequence. As a result, it was found to have a metalloprotease domain as a candidate for the protease of the present invention. Based on the above findings, it became possible to disclose a sequence of a polypeptide chain as a more specific example of the protease. Also, activities of proteases are generally known to vary depending on, for example, substitution, deletion, insertion, or introduction of point mutation into a portion of the amino acid sequence (Blood coagulation factor VII mutants, Soejima et al., JP Patent Publication (Kokai) No. 2001-61479 A). Similarly, the protease of the present invention can be modified by, for example, deletion, substitution, or addition of one or several amino acids, to prepare optimized proteases.

[0010]

The protease proteins were further mass-produced, and 29 amino acid sequences from the N-terminus were determined. These amino acid sequences are shown in SEQ ID NO: 8. This result is substantially the same as the sequence as shown in SEQ ID NO: 3 or 7 deduced by bioinformatics. Only one difference is that the amino acid 27th in SEQ ID NO: 3 or 7 was Glu while it was Arg according to the present analysis of the N-terminal sequence. This was considered to be a gene polymorphism. Thus, this protease was confirmed to be comprised of a polypeptide chain having the amino acid sequence as shown in SEQ ID NO: 3 or 7 at its N-terminus as a mature unit. A gene fragment encoding this protease was then cloned in the following manner.

[0011]

Based on the nucleic acid sequence as shown in SEQ ID NO: 7, a sense primer (SEQ ID NO: 9) and an antisense primer (SEQ ID NO: 10) were prepared based on the nucleic acid sequence underlined in Fig. 9, and a gene sandwiched between these primers was amplified. This fragment was cloned, and the nucleotide sequence was then confirmed. This fragment was used as a probe for Northern blotting to analyze the site at which the protease gene was expressed. As a result, this protease gene was found to be expressed

mainly in the liver. Accordingly, the human liver cDNA library was purchased, and a gene encoding this protease was identified using a rapid amplification of cDNA ends (RACE) technique. Based on these results, in the case of the largest sequence of approximately 5 kb of mRNA (cDNA) reaching the poly(A) addition site as shown in SEQ ID NO: 15 was identified.

[0012]

Based on the amino acid sequence deduced from this gene sequence, this protease was deduced to have a preprosequence, and to belong to the disintegrin and metalloprotease (ADAM) family having a disintegrin-like domain, a metalloprotease domain, and the like, and particularly to the ADAM-TS family having a thrombospondin Type-1 (TSP-1) domain. Finally, including those having insertion or deletion in a part of the nucleic acid sequence, isoforms as shown in SEQ ID NOs: 16 to 21 having sequences as shown in SEQ ID NOs: 3 and 7 at the N-terminuses after the mature preprosequence has been cleaved were identified.

[0013]

The vWF-cleaving protease of the present invention can be generally prepared by the following process.

According to the present invention, a process for assaying the protease activity is characterized by the possibility of evaluating activity within a short period of time. According to the report by Furlan et al. (Blood, vol. 87, 4223-4234: 1996, JP Patent Publication (Kohyo) No. 2000-508918 A), activity is assayed by analyzing vWF-cleaving patterns by Western blotting using the anti-vWF antibody, and thus, it takes time to transfer the protease to a filter. More specifically, this process requires approximately at least 45 hours in total, i.e., 24 hours for the enzymatic reaction with a substrate vWF, 17 hours for electrophoresis, and 3 hours to transfer the protease to a filter, followed by detection using the anti-vWF antibody. In contrast, the present inventors completed activity assay in 18 hours in total, i.e., 16 hours for the enzymatic

reaction with a substrate vWF, and 2 hours for electrophoresis and detection. This indicates that the time required for the assay can be reduced to one third or less of that required for the conventional assay. This can also shorten the time required for the purification process, and in turn can lower the degree of the protease to be inactivated. Accordingly, purification efficiency is improved compared with that attained by the method of Furlan et al., and as a result, the degree of purification is also enhanced.

[0014]

Further, the starting material was examined using the aforementioned assay system. As a result, it was found that the protease activity was more concentrated in FI paste than in the cryoprecipitate that had been reported by Furlan et al. in the past. FI paste was used as a starting material, and the aforementioned rapid activity assay systems were combined. This enabled isolation and identification of the protease of interest. In a specific embodiment, a purification process combining gel filtration chromatography with ion exchange chromatography is employed, and the aforementioned activity assay system is also combined.

More specifically, FI paste is solubilized with a buffer, and the resultant is fractionated by gel filtration chromatography. The protease activity is fractionated at the elution region with a molecular weight of 150 to 300 kDa deduced from the size marker of gel filtration. Thereafter, the resultant is precipitated and concentrated using 33% saturated ammonium sulfate. This procedure is repeated three times in total. The active fraction obtained in the third gel filtration is pooled, and the resultant is subjected to dialysis at 4°C overnight with a buffer comprising 50 mM NaCl added to 50 mM Tris-HCl (pH 7.1). Thereafter, the dialysis product is subjected to anion exchange chromatography (DEAE) and eluted stepwise with 0.25 M NaCl. The present inventors have conducted concentrated studies in order to find a process for isolating and identifying the protease of the present invention.

As a result, they found that, surprisingly, the protease was recoverable as an active band after non-reducing SDS-PAGE. In order to achieve further mass production, the purified and concentrated fraction was applied to the Biophoresis utilizing the principle of SDS-PAGE. Thus, a fraction having vWF-cleaving activity was isolated from the electrophoresed fraction. According to the approximate calculation of the specific activity up to this phase, purification of about 30,000- to 100,000-fold was achieved. This procedure was efficiently and rapidly repeated several times, and thus, about 0.5 pmole of sample that is the current limit of the analysis of amino acid sequence was obtained. Thus, analysis of amino acid sequence became feasible. More specifically, a final step of separation and purification (Biophoresis) based on the principle of SDS-PAGE is important, and it is based on the findings as a result of concentrated studies, which had led to the completion of the present invention.

[0015]

According to the report by Furlan et al., specific activity was improved by as much as about 10,000 times, although the protease was not substantially isolated or identified. This could be because of deactivation during purification or the difficulty of isolating and identifying molecules, which were gigantic proteins capable of interacting with various other proteins such as the protease of the present invention by a separation method utilizing various types of liquid chromatography. Further, the protease content in the plasma was deduced to be very small, and thus, it was necessary to await the establishment of the process according to the present invention.

[0016]

Based on the findings of the present invention, peptides or proteins prepared from the obtained sequences are determined to be antigens. With the use thereof, a monoclonal antibody, a polyclonal antibody, or a humanized

antibody thereof can be prepared by general immunization techniques (Current Protocols in Molecular Biology). These antibodies can be applied to diagnosis and therapy of diseases such as TTP.

[0017]

Based on the obtained genome or EST sequence, cDNA or a genomic gene encoding the protease of the present invention can be cloned by a common technique (Molecular Cloning, 2nd edition). These genes are incorporated into a suitable expression vector, the resultant is transformed into a suitable host cell, and the gene recombinant product of the protease can be thus prepared. Based on the gene sequence of the above protease, a probe, primer, or antisense is designed by a common technique. This enables the gene diagnosis or gene therapy. The peptide or protein of the present invention is used as a leading substance for amino acid modification. This enables the preparation of a molecule having activity that is different from that of the protease of the present invention.

[0018]

[Advantage of the Invention]

The findings of the present invention have led to the possibility of replacement therapy for patients having diseases resulting from deficiency of a protease, such as thrombotic thrombocytopenic purpura. This also realizes the establishment of methods for gene cloning and efficient purification from serum or plasma. In particular, the information provided by the present invention enables gene recombination based on the obtained nucleotide sequence and stable production and provision of the protease according to the present invention, which have been heretofore difficult to achieve. Also, these can be applied to replacement therapy for TTP patients, inhibition of platelet plug formation. Diagnosis and therapy utilizing the gene encoding the protease of the present invention or an antibody thereagainst can be realized.

[0019]

The present invention is hereafter described in detail with reference to

the following examples, although it is not limited to these examples.

[Examples]

Example 1

(Preparation of vWF)

A plasma cryoprecipitation (2 g) was dissolved in 20 ml of buffer (0.01% Tween-80/50 mM Tris-HCl/100 mM NaCl, pH 7.4), and the resultant was subjected to gel filtration using a Sephacryl S-500 HR Column (2.6 x 90 cm, Amersham Pharmacia) to prepare vWF. Fractions were recovered at a flow rate of 2 ml/min in amounts of 6 ml each. vWF was analyzed by Western blotting using a peroxidase-labeled rabbit anti-human vWF antibody (DAKO), and high-molecular-weight vWF fractions were pooled. The pooled fractions were subjected to multimer analysis using agarose electrophoresis as described below.

As shown in Fig. 1, vWF originally has a multimer structure in which vWF monomer molecules are polymerized with each other at their N-terminuses or at their C-terminuses, and vWF is subjected to partial hydrolysis by the vWF-specific cleaving protease. As a result of the analysis, as shown in Fig. 2, the purified vWF exhibited a multimer pattern based on agarose electrophoresis approximately equivalent to that in the plasma of a healthy person (the ladder in the drawing shows the electrophoresis pattern of vWF having a multimer structure, and the upper portion indicates vWF with advanced polymerization). This can prepare vWF comprising substantially no impurities that degrade it, and this fraction was used as a substrate when assaying the vWF-cleaving activity as described below.

[0020]

Example 2

(vWF-cleaving reaction)

vWF-cleaving activity was assayed as follows. A sample comprising 10 mM barium chloride (final concentration) was pre-incubated at 37°C for 5 minutes to activate protease. A buffer (15 to 20 ml, 1.5 M urea/5 mM Tris-HCl, pH 8.0) was placed in a 50 ml Falcon Tube. Subsequently, a membrane filter (0.025 μm, Millipore) was floated

therein, and 100 µl of activated sample prepared by mixing with 50 µl of vWF substrate solution was added. The resultant was allowed to stand in an incubator (37°C) overnight and recovered from the filter on the next day. The recovered sample was evaluated based on the vWF cleavage pattern as described below in the "SDS-PAGE" section.

[0021]

SDS-PAGE

SDS-5% polyacrylamide gel was autologously prepared and used. An SDS electrophoresis buffer (2 µl, in the presence or absence of a reducing agent, i.e., 2-mercaptoethanol) was added to 10 µl of the sample described in the "vWF-cleaving activity assay" section, and the resultant was boiled for 3 minutes to prepare an electrophoresis sample. The gel was subjected to electrophoresis at 30 mA for 1 hour and then stained with the Gel Code Blue Stain Reagent (PIERCE) utilizing CBB staining. As shown in Fig. 1, activity is evaluated based on the development of a cleavage fragment and the presence or absence of fragments remaining uncleaved under reducing or non-reducing conditions. This is more specifically described in Example 3 and Fig. 3 below.

[0022]

Multimer analysis utilizing agarose electrophoresis

Preparation of gel, electrophoresis

Low gelling temperature agarose (Type VII, Sigma) was added to 375 mM Tris-HCl (pH 6.8) until a concentration of 1.4% was reached, followed by heating in a microwave oven to completely dissolve the gel. Thereafter, 0.1% SDS was added, and the resultant was maintained at 56°C. The resultant was made to flow into a gel mold and solidified by cooling at 4°C overnight (running gel). The next day, high gelling temperate agarose (SeaKem) was mixed with 375 mM Tris-HCl (pH 6.8) until a concentration of 0.8% was reached, and dissolved by boiling in a microwave oven. Thereafter, the resultant was maintained at 56°C (stacking gel). The gel prepared on the previous day was cleaved, leaving a 10-cm fraction from the end uncleaved. The

aforementioned gel was made to flow into the cleaved portion, and the gel was made to keep flowing at 4°C for at least 3 hours, followed by solidification. Pyronin Y was added to the sample described in the "vWF cleaving activity assay" section above, and the gel was prepared under non-reducing conditions without boiling. The gel was subjected to electrophoresis at 10 mA for at least 24 hours using an SDS-PAGE buffer.

[0023]

Western blotting

After the electrophoresis, the gel was immersed in a transcription buffer (0.005% SDS, 50 mM phosphate buffer, pH 7.4) for 10 minutes, and the resultant was transferred to a nitrocellulose membrane using a transcription apparatus at 4°C at 0.5 A overnight. Blocking was performed using a blotting solution (5% skim milk, PBS) for 30 minutes, and the gel was then allowed to react for at least 6 hours with the peroxidase-labeled rabbit anti-human vWF antibody (DAKO), which was diluted 1,000-fold with the blotting solution. Thereafter, the gel was washed three times with the blotting solution and once with PBS, and color was developed using Konica Immunostain HRP-1000 (Konica), which was a substrate reaction solution for peroxidase. The purified vWF analyzed in this assay was found to have been undegraded, but was sufficiently usable as a substrate in the present invention (Fig. 2).

[0024]

Example 3

(Preparation of vWF-cleaving protease)

Plasma was subjected to ethanol fractionation developed by Cohn. A protease having high vWF-cleaving activity (one with high specific activity) when protein levels in four fractions (i.e., starting plasma, cryoprecipitate, fraction I (FI) supernatant, and a paste) are made equivalent to each other was selected. As shown in Fig. 3, the protease activity was highest in the FI paste. The N-terminal sequence of this cleavage fragment was analyzed, and as a result, activity derived from the cryoprecipitate and the FI paste were found to cleave the peptide bond between residues Tyr 842 and Met 843. Thus, the FI paste was determined to be a main starting material for purification thereafter.

[0025]

Solubilization of FI paste

The FI paste was fractionated in fractions of 12 g each and then cryopreserved. The paste was allowed to melt at 4°C the day before its use. The next day, 120 ml of solubilizing buffer (0.05% azide, 50 mM Tris-HCl (pH 7.4), 100 mM NaCl) was added at 10 mg/ml, and the mixture was stirred at 37°C for 2 hours. The product was centrifuged at 10,000 rpm for 10 minutes, and the supernatant was then recovered, followed by filtration with a prefilter, a 5.0 μm filter, and a 0.8 μm filter in that order. The resultant was determined to be a solubilized sample. Fig. 4 shows the result of SDS-PAGE of the solubilized sample.

[0026]

Gel filtration chromatography of vWF-cleaving protease

The solubilized F1 paste was applied to a Sephacryl S-300 HR Column (5 x 90 cm, Amersham Pharmacia) to conduct the first gel filtration. A buffer comprising 0.05% azide, 50 mM Tris-HCl (pH 7.4), and 100 mM NaCl (hereinafter referred to as an "elution buffer"), which was the same as the solubilizing buffer, was used. The flow rate was 5 ml/min, fractionation was initiated at 600 ml after the sample application, and fractions were recovered in amounts of 10 ml each. Fractions were subjected to the vWF-cleaving reaction, and their activities were then analyzed by SDS-PAGE. Fractions that exhibited protease activity were pooled, and a small amount of saturated ammonium sulfate was gradually added dropwide thereto until a final concentration of 33% saturation was reached. The mixture was further allowed to stand at 4°C overnight. The next day, the product was centrifuged at 10,000 rpm for 10 minutes, and an active fraction of interest was recovered as a precipitate. The procedures comprising solubilization, gel filtration, and ammonium sulfate precipitation were performed for 5 batches and the resultant was cryopreserved at -20°C.

[0027]

The ammonium sulfate precipitates (2 to 3 batches) obtained by the first gel filtration were dissolved in 50 ml of elution buffer, and passed through the Sephacryl

S-300 HR Column (5 x 90 cm) in the same manner as in the first gel filtration to perform the second gel filtration. The elution buffer, conditions, operations, and the like were the same as those in the first gel filtration. Fractions were subjected to the vWF-cleaving reaction, and their activities were then analyzed by SDS-PAGE. Fractions with activity were pooled, and ammonium sulfate precipitation was similarly performed. These procedures were repeated two times.

[0028]

The ammonium sulfate precipitates (2 batches) obtained by the second gel filtration were dissolved in 50 ml of elution buffer, and applied to the Sephacryl S-300 HR Column (5 x 90 cm) in the same manner as in the first and the second gel filtration to perform the third gel filtration. The elution buffer, conditions, operations, and the like were the same as those in the first and the second gel filtration. Fractions were subjected to the vWF-cleaving reaction, and their activities were then analyzed by SDS-PAGE, followed by pooling. Fig. 5 shows SDS-PAGE for analyzing these fractions and that for analyzing vWF-cleaving activity. Based on the patterns of gel filtration and the data showing activity, the protease of the present invention was found to be eluted in the region between fraction 37 and fraction 47. Based on a separately conducted elution experiment for high-molecular-weight gel filtration marker (Amersham Pharmacia), this site of elution was deduced to have a molecular weight equivalent to 150 to 300 kDa. In this phase, considerable amounts of impurities were still present.

[0029]

DEAE anion exchange chromatography

The pooled fraction obtained by three gel filtration operations was subjected to dialysis overnight with a buffer comprising 50 mM Tris-HCl and 50 mM NaCl (pH 7.1). After the dialysis, anion exchange chromatography was performed using a 5 ml HiTrap DEAE-Sepharose Fast Flow Column (Pharmacia) to conduct further purification and concentration. Equilibrating and washing were performed using a buffer comprising 50 mM Tris-HCl (pH 7.1), and elution was performed using 0.25 M NaCl. The flow rate

was 5 ml/min, and 5 fractions of 5 ml each were recovered and pooled. Fig. 6 shows the results of SDS-PAGE for analyzing elution fractions and those for analyzing vWF-cleaving activity. Based on SDS-PAGE for activity assay, the protease of the present invention having vWF-cleaving activity was considerably effectively concentrated in the elution fraction.

[0030]

Fractionation utilizing SDS-PAGE

The sample (5 ml) purified and concentrated by DEAE anion exchange chromatography was further concentrated to 0.5 ml using Centricon (molecular weight cut off: 10,000 Da, Amicon). The protease of the present invention was isolated by Biophoresis III (Atto Corporation) utilizing SDS-PAGE. In accordance with the Laemmli method (Nature, vol. 227, 680-685, 1970), a buffer for electrophoresis tanks was prepared, and developed with 8% polyacrylamide gel to recover the electrophoresis fraction. Fig. 7 shows the result of SDS-PAGE for analyzing the recovered fractions. The buffer used for recovery was comprised of 50 mM Tris-HCl and 10% glycerol (pH 8.8). As is apparent from Fig. 7, this process according to the present invention has a high ability to produce separation. Fig. 8 shows the results of analyzing activity of a fraction further purified by electrophoresis and the results of SDS-PAGE for analyzing active fractions. The protease of the present invention can be recovered as an active molecule even after SDS-PAGE. When the activity of this protease in the plasma is determined to be 1 in terms of specific activity, a degree of purification of 30,000- to 100,000-fold was deduced to be achieved based on the average protein content in the plasma (60 mg/ml).

[0031]

Example 4

(Partial amino acid sequencing)

The partial amino acid sequence of the isolated protease was determined. This protease, which was isolated using Biophoresis, was transferred to a PVDF membrane after SDS-PAGE by a conventional technique, air-dried, and then subjected to analysis

using the automated protein sequencer (model 492; PE Applied Biosystems). As a result, the vWF-cleaving protease of the present invention isolated under the above conditions was found to comprise a polypeptide chain having a molecular weight of 105 to 160 kDa in SDS-PAGE under reducing conditions. This protease was also found to have, as a partial sequence, Leu-Leu-Val-Ala-Val, and preferably Ala-Ala-Gly-Gly-Ile-Leu-His-Leu-Glu-Leu-Leu-Val-Ala-Val.

[0032]

Deduction of isolated protease utilizing bioinformatics

At present, bioinformatics enables the deduction of full nucleotide sequences encoding a polypeptide without substantial gene cloning through collation with information in the database accumulated in the past (BIOINFORMATICS: A Practical Guide to the Analysis of Genes and Proteins, edited by Andreas D. Baxevanis and B. F. Francis Ouellette). Based on the partial amino acid sequencing by the aforementioned process (Ala-Ala-Gly-Gly-Ile-Leu-His-Leu-Glu-Leu-Leu-Val-Ala-Val), the database was searched by the tblastn program. As a result, a chromosome clone (AL158826) that was deduced to encode the protease of the present invention was identified by genomic database search. Further, a part of the protease of interest as the expressed sequence tag (EST) and a clone that was deduced to be a part of the polypeptide encoded by the aforementioned genome (AI346761 and AJ011374) were identified. The amino acid sequence as shown in SEQ ID NO: 3 or 7 was deduced based thereon to be an active vWF-cleaving protease site.

[0033]

Example 5

(Gene identification)

Synthesis of all the following synthetic primers was performed by Greiner Japan Co.Ltd. by request. Further, reagents used for gene recombination were those manufactured by TAKARA, TOYOBO, and New England Biolabs unless otherwise specified.

[0034]

Preparation of a gene fragment as a Northern blotting probe

A sense primer (SEQ ID NO: 9) and an antisense primer (SEQ ID NO: 10) were prepared. PCR was carried out using Universal QUICK-Clone™ cDNA (Clontech), which was a mixture of cDNA derived from normal human tissue, as a template and TaKaRa LA Taq with GC rich buffer. A gene sandwiched between these primers was amplified, and the amplified fragment was cloned using a TOPO TA cloning™ kit (Invitrogen). DNAs having the nucleotide sequence as shown in SEQ ID NO: 6 were isolated from several clones.

A vector portion was removed from this cloned DNA by EcoRI digestion, separated and purified by agarose electrophoresis, and the resultant was determined to be a template for preparing probes for Northern blotting.

[0035]

Northern blotting

The gene fragment prepared above was employed as a template to prepare a radioactive probe using [α-^{32}P]dCTP (Amersham Pharmacia) and a BcaBEST™ labeling kit (TAKARA). Hybridization was carried out using the Human 12-lane Multiple Tissue Northern Blots™ (Clontech) filter in accordance with the method described in Molecular Cloning 2nd Edition, pp. 9.52-9.55. Detection was carried out by autoradiography. As shown in Fig. 10, mRNA encoding the protease was expressed mainly in the liver. The size of this mRNA was found to be more than 4.4 kb.

[0036]

Isolation and identification of gene encoding the protease

As a result of Northern blotting, mRNA was found to be expressed mainly in the liver. Thus, the protease gene of the present invention was isolated and identified in accordance with the RACE technique using normal human liver-derived poly A$^+$ RNA and Marathon-Ready™ cDNA (Clontech).

More specifically, the first PCR was carried out as 5' RACE using normal human liver-derived Marathon-Ready™ cDNA in accordance with the product's manual and using the AP-1 primer attached to the kit and antisense primers (SEQ ID NOs: 11 to 13)

arbitrarily selected from the group of Gene Specific Primers (GSP) excluding the primer 1 located in the uppermost stream as shown in Fig. 11. Nested PCR (the second PCR) was then carried out using the AP-2 primer located in the inside thereof and the antisense primer located in the inside of the primer used for the first PCR as shown in Fig. 11. Thereafter, TA cloning was carried out. Genes were prepared from the developed colonies in accordance with a conventional technique (Molecular Cloning 2nd Edition, pp. 1.25-1.28), and nucleic acid sequences were decoded using an automatic DNA sequencer. The primer used for sequencing was the primer used for PCR or a primer located in the inside thereof. Further, the primer was designed based on the sequence determined after serial decoding.

[0037]

3' RACE was started from normal human liver-derived poly A^+ RNA using the 3'-Full RACE Core Set (TAKARA), and reverse transcription was carried out in accordance with the attached manual using the attached oligo dT primer. The band amplified by PCR using the sense primer (SEQ ID NO:14) located at "primer 2" in Fig. 11 and the attached oligo dT primer was separated by agarose electrophoresis and extracted, followed by TA cloning. Genes were prepared from the developed colonies, and nucleic acid sequences were decoded using an automatic DNA sequencer. A primer used for sequencing was designed based on the sequence determined after serial decoding.

[Brief description of the drawings]

[Figure 1] Fig.1 is a diagram showing the vWF multimer structure and the point cleaved by the vWF-cleaving protease.

[Figure 2] Fig.2 is a diagram showing the result of vWF multimer analysis (agarose electrophoresis).

[Figure 3] Fig.3 is a diagram showing the result of SDS-PAGE (5% gel) for analyzing the vWF-cleaving activity of each plasma fraction under reducing conditions.

[Figure 4] Fig.4 is a diagram showing the result of SDS-PAGE (5% gel) for

analyzing the solubilized sample of fraction 1 (F1) paste under non-reducing conditions.

[Figure 5] Fig.5 is a diagram showing the result of analyzing vWF-cleaving protease fractions after being subjected to gel filtration chromatography three times using the solubilized sample of F1 paste as a starting material.

[Figure 6] Fig.6 is a diagram showing the results of analyzing vWF-cleaving protease fractions in which the fraction collected by gel filtration chromatography is purified by DEAE anion exchange chromatography.

[Figure 7] Fig.7 is a diagram showing an electrophoresed fragment obtained when the vWF-cleaving protease fraction purified and concentrated by DEAE anion exchange chromatography is further purified by Biophoresis-based SDS-PAGE (non-reducing conditions).

[Figure 8] Fig.8 is a diagram showing the result of electrophoresis on a fraction obtained by further purifying a vWF-cleaving protease fraction by Biophoresis-based SDS-PAGE for analyzing vWF-cleaving protease activity and SDS-PAGE on active fractions under reducing conditions.

[Figure 9] Fig. 9 relates to the identification of the vWF-cleaving protease gene, which is a diagram showing primers used for amplifying the gene fragment for a Northern blot probe.

[Figure 10] Fig.10 relates to the identification of the vWF-cleaving protease gene, which is a photograph showing Northern blot autoradiography.

[Figure 11] Fig.11 relates to the identification of the vWF-cleaving protease gene, and is a diagram showing the locations and the sequences of the primers used in the RACE experiments.

[Document Name] Abstract

[Summary]

[Object] This invention is intended to isolate and identify a vWF-specific cleaving protease.

[Means for Solving the Problem] A desired vWF specific cleaving protease can be isolated and purified using Fraction I (FI) paste derived from human plasma as a starting material by purifying and concentrating steps comprising gel filtration, anion change chromatography, and SDS-PAGE based on Biophoresis. The vWF specific cleaving protease cleaves 842Tyr-843Met bond of vWF and has preferably molecular weight of 105-160 kDa in SDS-PAGE and consists of a polypeptide chain comprising a partial sequence of Leu-Leu-Val-Ala-Val.

[Advantageous Effect] The isolation and identification of the vWF specific cleaving enzyme will result in the expectation of replacement therapy for TTP patients and the like which are caused by the deficiency of the vWF specific cleaving enzyme.

[Selected Figure] Non

SEQUENCE LISTING

<110>JURIDICAL FOUNDATION THE CHEMO-SERO-THERAPEUTIC RESEARCH INSTITUTE

<120>vWF-cleaving protease

<130> JP403PR1YS

<160>21

<210>1

<211>5

<212>PRT

<213> Homo sapiens

<400>1

Leu Leu Val Ala Val

1 5

<210>2

<211>14

<212>PRT

<213> Homo sapiens

<400>2

Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val

1 5 10

<210>3

<211>161

<212>PRT

<213> Homo sapiens

<400>3

Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15
Pro Asp Val Phe Gln Ala His Gln Lys Asp Thr Glu Arg Tyr Val
20 25 30
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65 70 75
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
80 85 90
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
95 100 105
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
110 115 120
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
125 130 135
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
140 145 150
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp
155 160

<210>4

<211>15

<212>DNA

<213> Homo sapiens

<400>4

ctgctggtgg ccgtg 15

<210>5

<211>42

<212>DNA

<213> Homo sapiens

<400>5

gctgcaggcg gcatcctaca cctggagctg ctggtggccg tg 42

<210>6

<211>483

<212>DNA

<213> Homo sapiens

<400>6

gctgcaggcg gcatcctaca cctggagctg ctggtggccg tgggccccga tgtcttccag 60

gctcaccaga aggacacaga gcgctatgtg ctcaccaacc tcaacatcgg ggcagaactg 120

cttcgggacc cgtccctggg ggctcagttt cgggtgcacc tggtgaagat ggtcattctg 180

acagagcctg agggtgctcc aaatatcaca gcaaacctca cctcgtccct gctgagcgtc 240

tgtgggtgga gccagaccat caaccctgag gacgacacgg atcctggcca tgctgacctg 300

gtcctctata tcactaggtt tgacctggag ttgcctgatg gtaaccggca ggtgcggggc 360

gtcacccagc tgggcggtgc ctgctcccca acctggagct gcctcattac cgaggacact 420

ggcttcgacc tgggagtcac cattgcccat gagattgggc acagcttcgg cctggagcac 480

gac 483

<210>7

<211>161

<212>PRT

<213> Homo sapiens

<400>7

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45

Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly

1 5 10 15

ccc gat gtc ttc cag gct cac cag aag gac aca gag cgc tat gtg 90

Pro Asp Val Phe Gln Ala His Gln Lys Asp Thr Glu Arg Tyr Val

20 25 30

ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135

Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser

35 40 45

ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180

Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu

50 55 60

aca gag cct gag ggt gct cca aat atc aca gca aac ctc acc tcg 225

Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser

65 70 75

tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag 270

Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu

80 85 90

gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act 315

Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr

95 100 105

agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc 360

Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly

110 115 120

gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc 405

Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
125 130 135

att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat 450
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
140 145 150

gag att ggg cac agc ttc ggc ctg gag cac gac 483
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp
155 160

<210>8
<211>29
<212>PRT
<213> Homo sapiens
<400>8
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15
Pro Asp Val Phe Gln Ala His Gln Lys Asp Thr Arg Arg Tyr
20 25

<210>9
<211>30
<212>DNA
<213> Homo sapiens
<400>9
gctgcaggcg gcatcctaca cctggagctg 30

<210>10
<211>21

<212>DNA

<213> Homo sapiens

<400>10

cccaatctca tgggcaatgg t 21

<210>11

<211>21

<212>DNA

<213> Homo sapiens

<400>11

cccaatctca tgggcaatgg t 21

<210>12

<211>30

<212>DNA

<213> Homo sapiens

<400>12

ccgatgttga ggttggtgag cacatagcgc 30

<210>13

<211>20

<212>DNA

<213> Homo sapiens

<400>13

gtgtcgtcct cagggttgat 20

<210>14

<211>21

<212>DNA

<213> Homo sapiens

<400>14

accattgccc atgagattgg g 21

<210>15

<211>4950

<212>DNA

<213> Homo sapiens

<400>15

aaccacgatg tctttggcac agcctctcat ctgtcagatg ggagcgggga ccccggagag 60

ggagtcagcc gaggtcctgg cattccttgt gaacccccgt ctgtgggttt ctggtccagt 120

gtcccttctc cagattagat ggcttaggcc tcctctaagg gggtgggcgt gcacatccgg 180

agagctgtct ggtgtgcagg actgggctgc aggttaccct gaactgcaac catcttagag 240

caaggcccag cttgcagcag gaggagctgc aggccgccca ccctagccac ggcccctgcc 300

ctggcaggaa gcttccaaga gtaaacactg cctaatcgtc ccgcccagta gtgagcaggc 360

ctgtcccatt ccatactgac cagattccca gtcaccaagg ccccctctca ctccgctcca 420

ctcctcgggc tggctctcct gaggatgcac cagcgtcacc cccgggcaag atgccctccc 480

ctctgtgtgg ccggaatcct tgcctgtggc tttctcctgg gctgctgggg accctcccat 540

ttccagcaga gttgtcttca ggctttggag ccacaggccg tgtcttctta cttgagccct 600

ggtgctccct taaaaggccg ccctccttcc cctggcttcc agaggcagag gcagaggcag 660

aggcgggctg caggcggcat cctacacctg gagctgctgg tggccgtggg ccccgatgtc 720

ttccaggctc accaggagga cacagagcgc tatgtgctca ccaacctcaa catcggggca 780

gaactgcttc gggacccgtc cctgggggct cagtttcggg tgcacctggt gaagatggtc 840

attctgacag agcctgaggg tgctccaaat atcacagcca acctcacctc gtccctgctg 900

agcgtctgtg ggtggagcca gaccatcaac cctgaggacg acacggatcc tggccatgct 960

gacctggtcc tctatatcac taggtttgac ctggagttgc ctgatggtaa ccggcaggtg 1020

cggggcgtca cccagctggg cggtgcctgc tccccaacct ggagctgcct cattaccgag 1080

gacactggct tcgacctggg agtcaccatt gcccatgaga ttgggcacag cttcggcctg 1140
gagcacgacg gcgcgcccgg cagcggctgc ggccccagcg gacacgtgat ggcttcggac 1200
ggcgccgcgc cccgcgccgg cctcgcctgg tccccctgca gccgccggca gctgctgagc 1260
ctgctcagcg caggacgggc gcgctgcgtg tgggacccgc cgcggcctca acccgggtcc 1320
gcggggcacc cgccggatgc gcagcctggc ctctactaca gcgccaacga gcagtgccgc 1380
gtggccttcg gccccaaggc tgtcgcctgc accttcgcca gggagcacct ggatatgtgc 1440
caggccctct cctgccacac agacccgctg gaccaaagca gctgcagccg cctcctcgtt 1500
cctctcctgg atgggacaga atgtggcgtg gagaagtggt gctccaaggg tcgctgccgc 1560
tccctggtgg agctgacccc catagcagca gtgcatgggc gctggtctag ctggggtccc 1620
cgaagtcctt gctcccgctc ctgcggagga ggtgtggtca ccaggaggcg gcagtgcaac 1680
aaccccagac ctgcctttgg ggggcgtgca tgtgttggtg ctgacctcca ggccgagatg 1740
tgcaacactc aggcctgcga gaagacccag ctggagttca tgtcgcaaca gtgcgccagg 1800
accgacggcc agccgctgcg ctcctccccc ggcggcgcct ccttctacca ctggggtgct 1860
gctgtaccac acagccaagg ggatgctctg tgcagacaca tgtgccgggc cattggcgag 1920
agcttcatca tgaagcgtgg agacagcttc ctcgatggga cccggtgtat gccaagtggc 1980
ccccgggagg acgggaccct gagcctgtgt gtgtcgggca gctgcaggac atttggctgt 2040
gatggtagga tggactccca gcaggtatgg gacaggtgcc aggtgtgtgg tggggacaac 2100
agcacgtgca gcccacggaa gggctctttc acagctggca gagcgagaga atatgtcacg 2160
tttctgacag ttacccccaa cctgaccagt gtctacattg ccaaccacag gcctctcttc 2220
acacacttgg cggtgaggat cggagggcgc tatgtcgtgg ctgggaagat gagcatctcc 2280
cctaacacca cctacccctc cctcctggag gatggtcgtg tcgagtacag agtggccctc 2340
accgaggacc ggctgccccg cctggaggag atccgcatct ggggacccct ccaggaagat 2400
gctgacatcc aggtttacag gcggtatggc gaggagtatg gcaacctcac ccgcccagac 2460
atcaccttca cctacttcca gcctaagcca cggcaggcct gggtgtgggc cgctgtgcgt 2520
gggccctgct cggtgagctg tggggcaggg ctgcgctggg taaactacag ctgcctggac 2580
caggccagga aggagttggt ggagactgtc cagtgccaag ggagccagca gccaccagcg 2640
tggccagagg cctgcgtgct cgaaccctgc cctccctact gggcggtggg agacttcggc 2700
ccatgcagcg cctcctgtgg gggcggcctg cgggagcggc cagtgcgctg cgtggaggcc 2760

cagggcagcc tcctgaagac attgccccca gcccggtgca gagcaggggc ccagcagcca 2820
gctgtggcgc tggaaacctg caacccccag ccctgccctg ccaggtggga ggtgtcagag 2880
cccagctcat gcacatcagc tggtggagca ggcctggcct tggagaacga gacctgtgtg 2940
ccaggggcag atggcctgga ggctccagtg actgaggggc ctggctccgt agatgagaag 3000
ctgcctgccc ctgagccctg tgtcgggatg tcatgtcctc caggctgggg ccatctggat 3060
gccacctctg caggggagaa ggctccctcc ccatggggca gcatcaggac gggggctcaa 3120
gctgcacacg tgtggacccc tgcggcaggg tcgtgctccg tctcctgcgg gcgaggtctg 3180
atggagctgc gtttcctgtg catggactct gccctcaggg tgcctgtcca ggaagagctg 3240
tgtggcctgg caagcaagcc tgggagccgg cgggaggtct gccaggctgt cccgtgccct 3300
gctcggtggc agtacaagct ggcggcctgc agcgtgagct gtgggagagg ggtcgtgcgg 3360
aggatcctgt attgtgcccg ggcccatggg gaggacgatg gtgaggagat cctgttggac 3420
acccagtgcc aggggctgcc tcgcccggaa ccccaggagg cctgcagcct ggagccctgc 3480
ccacctaggt ggaaagtcat gtcccttggc ccatgttcgg ccagctgtgg ccttggcact 3540
gctagacgct cggtggcctg tgtgcagctc gaccaaggcc aggacgtgga ggtggacgag 3600
gcggcctgtg cggcgctggt gcggcccgag gccagtgtcc cctgtctcat tgccgactgc 3660
acctaccgct ggcatgttgg cacctggatg gagtgctctg tttcctgtgg ggatggcatc 3720
cagcgccggc gtgacacctg cctcggaccc caggcccagg cgcctgtgcc agctgatttc 3780
tgccagcact tgcccaagcc ggtgactgtg cgtggctgct gggctgggcc ctgtgtggga 3840
cagggtacgc ccagcctggt gccccacgaa gaagccgctg ctccaggacg gaccacagcc 3900
acccctgctg gtgcctccct ggagtggtcc caggcccggg gcctgctctt ctccccggct 3960
ccccagcctc ggcggctcct gcccgggccc caggaaaact cagtgcagtc cagtgcctgt 4020
ggcaggcagc accttgagcc aacaggaacc attgacatgc gaggcccagg gcaggcagac 4080
tgtgcagtgg ccattgggcg gcccctcggg gaggtggtga ccctccgcgt ccttgagagt 4140
tctctcaact gcagtgcggg ggacatgttg ctgctttggg gccggctcac ctggaggaag 4200
atgtgcagga agctgttgga catgactttc agctccaaga ccaacacgct ggtggtgagg 4260
cagcgctgcg ggcggccagg aggtggggtg ctgctgcggt atgggagcca gcttgctcct 4320
gaaaccttct acagagaatg tgacatgcag ctctttgggc cctggggtga aatcgtgagc 4380
ccctcgctga gtccagccac gagtaatgca gggggctgcc ggctcttcat taatgtggct 4440

ccgcacgcac ggattgccat ccatgccctg gccaccaaca tgggcgctgg gaccgaggga 4500
gccaatgcca gctacatctt gatccgggac acccacagct tgaggaccac agcgttccat 4560
gggcagcagg tgctctactg ggagtcagag agcagccagg ctgagatgga gttcagcgag 4620
ggcttcctga aggctcaggc cagcctgcgg ggccagtact ggaccctcca atcatgggta 4680
ccggagatgc aggaccctca gtcctggaag ggaaaggaag gaacctgagg gtcattgaac 4740
atttgttccg tgtctggcca gccctggagg gttgacccct ggtctcagtg ctttccaatt 4800
cgaacttttt ccaatcttag gtatctactt tagagtcttc tccaatgtcc aaaaggctag 4860
ggggttggag gtggggactc tggaaaagca gcccccattt cctcgggtac caataaataa 4920
aacatgcagg ccaaaaaaaa aaaaaaaaaa 4950

<210>16
<211>1353
<212>PRT
<213> Homo sapiens
<400>16

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15
ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg 90
Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val
20 25 30
ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45
ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60
aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg 225

Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser

65 70 75

tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag 270

Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu

80 85 90

gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act 315

Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr

95 100 105

agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc 360

Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly

110 115 120

gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc 405

Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu

125 130 135

att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat 450

Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His

140 145 150

gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc 495

Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly

155 160 165

agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc 540

Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala

170 175 180

gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag 585

Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln

185 190 195

ctg ctg agc ctg ctc agc gca gga cgg gcg cgc tgc gtg tgg gac 630

Leu Leu Ser Leu Leu Ser Ala Gly Arg Ala Arg Cys Val Trp Asp

200 205 210

ccg ccg cgg cct caa ccc ggg tcc gcg ggg cac ccg ccg gat gcg 675
Pro Pro Arg Pro Gln Pro Gly Ser Ala Gly His Pro Pro Asp Ala
215 220 225

cag cct ggc ctc tac tac agc gcc aac gag cag tgc cgc gtg gcc 720
Gln Pro Gly Leu Tyr Tyr Ser Ala Asn Glu Gln Cys Arg Val Ala
230 235 240

ttc ggc ccc aag gct gtc gcc tgc acc ttc gcc agg gag cac ctg 765
Phe Gly Pro Lys Ala Val Ala Cys Thr Phe Ala Arg Glu His Leu
245 250 255

gat atg tgc cag gcc ctc tcc tgc cac aca gac ccg ctg gac caa 810
Asp Met Cys Gln Ala Leu Ser Cys His Thr Asp Pro Leu Asp Gln
260 265 270

agc agc tgc agc cgc ctc ctc gtt cct ctc ctg gat ggg aca gaa 855
Ser Ser Cys Ser Arg Leu Leu Val Pro Leu Leu Asp Gly Thr Glu
275 280 285

tgt ggc gtg gag aag tgg tgc tcc aag ggt cgc tgc cgc tcc ctg 900
Cys Gly Val Glu Lys Trp Cys Ser Lys Gly Arg Cys Arg Ser Leu
290 295 300

gtg gag ctg acc ccc ata gca gca gtg cat ggg cgc tgg tct agc 945
Val Glu Leu Thr Pro Ile Ala Ala Val His Gly Arg Trp Ser Ser
305 310 315

tgg ggt ccc cga agt cct tgc tcc cgc tcc tgc gga gga ggt gtg 990
Trp Gly Pro Arg Ser Pro Cys Ser Arg Ser Cys Gly Gly Gly Val
320 325 330

gtc acc agg agg cgg cag tgc aac aac ccc aga cct gcc ttt ggg 1035
Val Thr Arg Arg Arg Gln Cys Asn Asn Pro Arg Pro Ala Phe Gly
335 340 345

ggg cgt gca tgt gtt ggt gct gac ctc cag gcc gag atg tgc aac 1080
Gly Arg Ala Cys Val Gly Ala Asp Leu Gln Ala Glu Met Cys Asn
350 355 360

act cag gcc tgc gag aag acc cag ctg gag ttc atg tcg caa cag 1125
Thr Gln Ala Cys Glu Lys Thr Gln Leu Glu Phe Met Ser Gln Gln
365 370 375

tgc gcc agg acc gac ggc cag ccg ctg cgc tcc tcc cct ggc ggc 1170
Cys Ala Arg Thr Asp Gly Gln Pro Leu Arg Ser Ser Pro Gly Gly
380 385 390

gcc tcc ttc tac cac tgg ggt gct gct gta cca cac agc caa ggg 1215
Ala Ser Phe Tyr His Trp Gly Ala Ala Val Pro His Ser Gln Gly
395 400 405

gat gct ctg tgc aga cac atg tgc cgg gcc att ggc gag agc ttc 1260
Asp Ala Leu Cys Arg His Met Cys Arg Ala Ile Gly Glu Ser Phe
410 415 420

atc atg aag cgt gga gac agc ttc ctc gat ggg acc cgg tgt atg 1305
Ile Met Lys Arg Gly Asp Ser Phe Leu Asp Gly Thr Arg Cys Met
425 430 435

cca agt ggc ccc cgg gag gac ggg acc ctg agc ctg tgt gtg tcg 1350
Pro Ser Gly Pro Arg Glu Asp Gly Thr Leu Ser Leu Cys Val Ser
440 445 450

ggc agc tgc agg aca ttt ggc tgt gat ggt agg atg gac tcc cag 1395
Gly Ser Cys Arg Thr Phe Gly Cys Asp Gly Arg Met Asp Ser Gln
455 460 465

cag gta tgg gac agg tgc cag gtg tgt ggt ggg gac aac agc acg 1440
Gln Val Trp Asp Arg Cys Gln Val Cys Gly Gly Asp Asn Ser Thr
470 475 480

tgc agc cca cgg aag ggc tct ttc aca gct ggc aga gcg aga gaa 1485

Cys Ser Pro Arg Lys Gly Ser Phe Thr Ala Gly Arg Ala Arg Glu

485 490 495

tat gtc acg ttt ctg aca gtt acc ccc aac ctg acc agt gtc tac 1530

Tyr Val Thr Phe Leu Thr Val Thr Pro Asn Leu Thr Ser Val Tyr

500 505 510

att gcc aac cac agg cct ctc ttc aca cac ttg gcg gtg agg atc 1575

Ile Ala Asn His Arg Pro Leu Phe Thr His Leu Ala Val Arg Ile

515 520 525

gga ggg cgc tat gtc gtg gct ggg aag atg agc atc tcc cct aac 1620

Gly Gly Arg Tyr Val Val Ala Gly Lys Met Ser Ile Ser Pro Asn

530 535 540

acc acc tac ccc tcc ctc ctg gag gat ggt cgt gtc gag tac aga 1665

Thr Thr Tyr Pro Ser Leu Leu Glu Asp Gly Arg Val Glu Tyr Arg

545 550 555

gtg gcc ctc acc gag gac cgg ctg ccc cgc ctg gag gag atc cgc 1710

Val Ala Leu Thr Glu Asp Arg Leu Pro Arg Leu Glu Glu Ile Arg

560 565 570

atc tgg gga ccc ctc cag gaa gat gct gac atc cag gtt tac agg 1755

Ile Trp Gly Pro Leu Gln Glu Asp Ala Asp Ile Gln Val Tyr Arg

575 580 585

cgg tat ggc gag gag tat ggc aac ctc acc cgc cca gac atc acc 1800

Arg Tyr Gly Glu Glu Tyr Gly Asn Leu Thr Arg Pro Asp Ile Thr

590 595 600

ttc acc tac ttc cag cct aag cca cgg cag gcc tgg gtg tgg gcc 1845

Phe Thr Tyr Phe Gln Pro Lys Pro Arg Gln Ala Trp Val Trp Ala

605 610 615

gct gtg cgt ggg ccc tgc tcg gtg agc tgt ggg gca ggg ctg cgc 1890

Ala Val Arg Gly Pro Cys Ser Val Ser Cys Gly Ala Gly Leu Arg

620 625 630

tgg gta aac tac agc tgc ctg gac cag gcc agg aag gag ttg gtg 1935
Trp Val Asn Tyr Ser Cys Leu Asp Gln Ala Arg Lys Glu Leu Val
635 640 645

gag act gtc cag tgc caa ggg agc cag cag cca cca gcg tgg cca 1980
Glu Thr Val Gln Cys Gln Gly Ser Gln Gln Pro Pro Ala Trp Pro
650 655 660

gag gcc tgc gtg ctc gaa ccc tgc cct ccc tac tgg gcg gtg gga 2025
Glu Ala Cys Val Leu Glu Pro Cys Pro Pro Tyr Trp Ala Val Gly
665 670 675

gac ttc ggc cca tgc agc gcc tcc tgt ggg ggc ggc ctg cgg gag 2070
Asp Phe Gly Pro Cys Ser Ala Ser Cys Gly Gly Gly Leu Arg Glu
680 685 690

cgg cca gtg cgc tgc gtg gag gcc cag ggc agc ctc ctg aag aca 2115
Arg Pro Val Arg Cys Val Glu Ala Gln Gly Ser Leu Leu Lys Thr
695 700 705

ttg ccc cca gcc cgg tgc aga gca ggg gcc cag cag cca gct gtg 2160
Leu Pro Pro Ala Arg Cys Arg Ala Gly Ala Gln Gln Pro Ala Val
710 715 720

gcg ctg gaa acc tgc aac ccc cag ccc tgc cct gcc agg tgg gag 2205
Ala Leu Glu Thr Cys Asn Pro Gln Pro Cys Pro Ala Arg Trp Glu
725 730 735

gtg tca gag ccc agc tca tgc aca tca gct ggt gga gca ggc ctg 2250
Val Ser Glu Pro Ser Ser Cys Thr Ser Ala Gly Gly Ala Gly Leu
740 745 750

gcc ttg gag aac gag acc tgt gtg cca ggg gca gat ggc ctg gag 2295
Ala Leu Glu Asn Glu Thr Cys Val Pro Gly Ala Asp Gly Leu Glu
755 760 765

gct cca gtg act gag ggg cct ggc tcc gta gat gag aag ctg cct 2340
Ala Pro Val Thr Glu Gly Pro Gly Ser Val Asp Glu Lys Leu Pro
770 775 780
gcc cct gag ccc tgt gtc ggg atg tca tgt cct cca ggc tgg ggc 2385
Ala Pro Glu Pro Cys Val Gly Met Ser Cys Pro Pro Gly Trp Gly
785 790 795
cat ctg gat gcc acc tct gca ggg gag aag gct ccc tcc cca tgg 2430
His Leu Asp Ala Thr Ser Ala Gly Glu Lys Ala Pro Ser Pro Trp
800 805 810
ggc agc atc agg acg ggg gct caa gct gca cac gtg tgg acc cct 2475
Gly Ser Ile Arg Thr Gly Ala Gln Ala Ala His Val Trp Thr Pro
815 820 825
gcg gca ggg tcg tgc tcc gtc tcc tgc ggg cga ggt ctg atg gag 2520
Ala Ala Gly Ser Cys Ser Val Ser Cys Gly Arg Gly Leu Met Glu
830 835 840
ctg cgt ttc ctg tgc atg gac tct gcc ctc agg gtg cct gtc cag 2565
Leu Arg Phe Leu Cys Met Asp Ser Ala Leu Arg Val Pro Val Gln
845 850 855
gaa gag ctg tgt ggc ctg gca agc aag cct ggg agc cgg cgg gag 2610
Glu Glu Leu Cys Gly Leu Ala Ser Lys Pro Gly Ser Arg Arg Glu
860 865 870
gtc tgc cag gct gtc ccg tgc cct gct cgg tgg cag tac aag ctg 2655
Val Cys Gln Ala Val Pro Cys Pro Ala Arg Trp Gln Tyr Lys Leu
875 880 885
gcg gcc tgc agc gtg agc tgt ggg aga ggg gtc gtg cgg agg atc 2700
Ala Ala Cys Ser Val Ser Cys Gly Arg Gly Val Val Arg Arg Ile
890 895 900
ctg tat tgt gcc cgg gcc cat ggg gag gac gat ggt gag gag atc 2745

Leu Tyr Cys Ala Arg Ala His Gly Glu Asp Asp Gly Glu Glu Ile

905 910 915

ctg ttg gac acc cag tgc cag ggg ctg cct cgc ccg gaa ccc cag 2790

Leu Leu Asp Thr Gln Cys Gln Gly Leu Pro Arg Pro Glu Pro Gln

920 925 930

gag gcc tgc agc ctg gag ccc tgc cca cct agg tgg aaa gtc atg 2835

Glu Ala Cys Ser Leu Glu Pro Cys Pro Pro Arg Trp Lys Val Met

935 940 945

tcc ctt ggc cca tgt tcg gcc agc tgt ggc ctt ggc act gct aga 2880

Ser Leu Gly Pro Cys Ser Ala Ser Cys Gly Leu Gly Thr Ala Arg

950 955 960

cgc tcg gtg gcc tgt gtg cag ctc gac caa ggc cag gac gtg gag 2925

Arg Ser Val Ala Cys Val Gln Leu Asp Gln Gly Gln Asp Val Glu

965 970 975

gtg gac gag gcg gcc tgt gcg gcg ctg gtg cgg ccc gag gcc agt 2970

Val Asp Glu Ala Ala Cys Ala Ala Leu Val Arg Pro Glu Ala Ser

980 985 990

gtc ccc tgt ctc att gcc gac tgc acc tac cgc tgg cat gtt ggc 3015

Val Pro Cys Leu Ile Ala Asp Cys Thr Tyr Arg Trp His Val Gly

995 1000 1005

acc tgg atg gag tgc tct gtt tcc tgt ggg gat ggc atc cag cgc 3060

Thr Trp Met Glu Cys Ser Val Ser Cys Gly Asp Gly Ile Gln Arg

1010 1015 1020

cgg cgt gac acc tgc ctc gga ccc cag gcc cag gcg cct gtg cca 3105

Arg Arg Asp Thr Cys Leu Gly Pro Gln Ala Gln Ala Pro Val Pro

1025 1030 1035

gct gat ttc tgc cag cac ttg ccc aag ccg gtg act gtg cgt ggc 3150

Ala Asp Phe Cys Gln His Leu Pro Lys Pro Val Thr Val Arg Gly

1040 1045 1050

tgc tgg gct ggg ccc tgt gtg gga cag ggt acg ccc agc ctg gtg 3195

Cys Trp Ala Gly Pro Cys Val Gly Gln Gly Thr Pro Ser Leu Val

1055 1060 1065

ccc cac gaa gaa gcc gct gct cca gga cgg acc aca gcc acc cct 3240

Pro His Glu Glu Ala Ala Ala Pro Gly Arg Thr Thr Ala Thr Pro

1070 1075 1080

gct ggt gcc tcc ctg gag tgg tcc cag gcc cgg ggc ctg ctc ttc 3285

Ala Gly Ala Ser Leu Glu Trp Ser Gln Ala Arg Gly Leu Leu Phe

1085 1090 1095

tcc ccg gct ccc cag cct cgg cgg ctc ctg ccc ggg ccc cag gaa 3330

Ser Pro Ala Pro Gln Pro Arg Arg Leu Leu Pro Gly Pro Gln Glu

1100 1105 1110

aac tca gtg cag tcc agt gcc tgt ggc agg cag cac ctt gag cca 3375

Asn Ser Val Gln Ser Ser Ala Cys Gly Arg Gln His Leu Glu Pro

1115 1120 1125

aca gga acc att gac atg cga ggc cca ggg cag gca gac tgt gca 3420

Thr Gly Thr Ile Asp Met Arg Gly Pro Gly Gln Ala Asp Cys Ala

1130 1135 1140

gtg gcc att ggg cgg ccc ctc ggg gag gtg gtg acc ctc cgc gtc 3465

Val Ala Ile Gly Arg Pro Leu Gly Glu Val Val Thr Leu Arg Val

1145 1150 1155

ctt gag agt tct ctc aac tgc agt gcg ggg gac atg ttg ctg ctt 3510

Leu Glu Ser Ser Leu Asn Cys Ser Ala Gly Asp Met Leu Leu Leu

1160 1165 1170

tgg ggc cgg ctc acc tgg agg aag atg tgc agg aag ctg ttg gac 3555

Trp Gly Arg Leu Thr Trp Arg Lys Met Cys Arg Lys Leu Leu Asp

1175 1180 1185

atg act ttc agc tcc aag acc aac acg ctg gtg gtg agg cag cgc 3600

Met Thr Phe Ser Ser Lys Thr Asn Thr Leu Val Val Arg Gln Arg

1190 1195 1200

tgc ggg cgg cca gga ggt ggg gtg ctg ctg cgg tat ggg agc cag 3645

Cys Gly Arg Pro Gly Gly Gly Val Leu Leu Arg Tyr Gly Ser Gln

1205 1210 1215

ctt gct cct gaa acc ttc tac aga gaa tgt gac atg cag ctc ttt 3690

Leu Ala Pro Glu Thr Phe Tyr Arg Glu Cys Asp Met Gln Leu Phe

1220 1225 1230

ggg ccc tgg ggt gaa atc gtg agc ccc tcg ctg agt cca gcc acg 3735

Gly Pro Trp Gly Glu Ile Val Ser Pro Ser Leu Ser Pro Ala Thr

1235 1240 1245

agt aat gca ggg ggc tgc cgg ctc ttc att aat gtg gct ccg cac 3780

Ser Asn Ala Gly Gly Cys Arg Leu Phe Ile Asn Val Ala Pro His

1250 1255 1260

gca cgg att gcc atc cat gcc ctg gcc acc aac atg ggc gct ggg 3825

Ala Arg Ile Ala Ile His Ala Leu Ala Thr Asn Met Gly Ala Gly

1265 1270 1275

acc gag gga gcc aat gcc agc tac atc ttg atc cgg gac acc cac 3870

Thr Glu Gly Ala Asn Ala Ser Tyr Ile Leu Ile Arg Asp Thr His

1280 1285 1290

agc ttg agg acc aca gcg ttc cat ggg cag cag gtg ctc tac tgg 3915

Ser Leu Arg Thr Thr Ala Phe His Gly Gln Gln Val Leu Tyr Trp

1295 1300 1305

gag tca gag agc agc cag gct gag atg gag ttc agc gag ggc ttc 3960

Glu Ser Glu Ser Ser Gln Ala Glu Met Glu Phe Ser Glu Gly Phe

1310 1315 1320

ctg aag gct cag gcc agc ctg cgg ggc cag tac tgg acc ctc caa 4005

Leu Lys Ala Gln Ala Ser Leu Arg Gly Gln Tyr Trp Thr Leu Gln
1325 1330 1335

tca tgg gta ccg gag atg cag gac cct cag tcc tgg aag gga aag 4050
Ser Trp Val Pro Glu Met Gln Asp Pro Gln Ser Trp Lys Gly Lys
1340 1345 1350

gaa gga acc 4059
Glu Gly Thr

<210>17
<211>1297
<212>PRT
<213> Homo sapiens
<400>17

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15

ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg 90
Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val
20 25 30

ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45

ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60

aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg 225
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65 70 75

```
tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag          270
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
                80                  85                  90
gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act          315
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
                95                 100                 105
agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc          360
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
               110                 115                 120
gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc          405
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
               125                 130                 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat          450
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
               140                 145                 150
gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc          495
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly
               155                 160                 165
agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc          540
Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala
               170                 175                 180
gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag          585
Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln
               185                 190                 195
ctg ctg agc ctg ctc agc gca gga cgg gcg cgc tgc gtg tgg gac          630
Leu Leu Ser Leu Leu Ser Ala Gly Arg Ala Arg Cys Val Trp Asp
               200                 205                 210
ccg ccg cgg cct caa ccc ggg tcc gcg ggg cac ccg ccg gat gcg          675
```

```
Pro Pro Arg Pro Gln Pro Gly Ser Ala Gly His Pro Pro Asp Ala
                215                 220                 225
cag cct ggc ctc tac tac agc gcc aac gag cag tgc cgc gtg gcc        720
Gln Pro Gly Leu Tyr Tyr Ser Ala Asn Glu Gln Cys Arg Val Ala
                230                 235                 240
ttc ggc ccc aag gct gtc gcc tgc acc ttc gcc agg gag cac ctg        765
Phe Gly Pro Lys Ala Val Ala Cys Thr Phe Ala Arg Glu His Leu
                245                 250                 255
gat atg tgc cag gcc ctc tcc tgc cac aca gac ccg ctg gac caa        810
Asp Met Cys Gln Ala Leu Ser Cys His Thr Asp Pro Leu Asp Gln
                260                 265                 270
agc agc tgc agc cgc ctc ctc gtt cct ctc ctg gat ggg aca gaa        855
Ser Ser Cys Ser Arg Leu Leu Val Pro Leu Leu Asp Gly Thr Glu
                275                 280                 285
tgt ggc gtg gag aag tgg tgc tcc aag ggt cgc tgc cgc tcc ctg        900
Cys Gly Val Glu Lys Trp Cys Ser Lys Gly Arg Cys Arg Ser Leu
                290                 295                 300
gtg gag ctg acc ccc ata gca gca gtg cat ggg cgc tgg tct agc        945
Val Glu Leu Thr Pro Ile Ala Ala Val His Gly Arg Trp Ser Ser
                305                 310                 315
tgg ggt ccc cga agt cct tgc tcc cgc tcc tgc gga gga ggt gtg        990
Trp Gly Pro Arg Ser Pro Cys Ser Arg Ser Cys Gly Gly Gly Val
                320                 325                 330
gtc acc agg agg cgg cag tgc aac aac ccc aga cct gcc ttt ggg       1035
Val Thr Arg Arg Arg Gln Cys Asn Asn Pro Arg Pro Ala Phe Gly
                335                 340                 345
ggg cgt gca tgt gtt ggt gct gac ctc cag gcc gag atg tgc aac       1080
Gly Arg Ala Cys Val Gly Ala Asp Leu Gln Ala Glu Met Cys Asn
```

```
                350                 355                 360
act cag gcc tgc gag aag acc cag ctg gag ttc atg tcg caa cag        1125
Thr Gln Ala Cys Glu Lys Thr Gln Leu Glu Phe Met Ser Gln Gln
                365                 370                 375
tgc gcc agg acc gac ggc cag ccg ctg cgc tcc tcc cct ggc ggc        1170
Cys Ala Arg Thr Asp Gly Gln Pro Leu Arg Ser Ser Pro Gly Gly
                380                 385                 390
gcc tcc ttc tac cac tgg ggt gct gct gta cca cac agc caa ggg        1215
Ala Ser Phe Tyr His Trp Gly Ala Ala Val Pro His Ser Gln Gly
                395                 400                 405
gat gct ctg tgc aga cac atg tgc cgg gcc att ggc gag agc ttc        1260
Asp Ala Leu Cys Arg His Met Cys Arg Ala Ile Gly Glu Ser Phe
                410                 415                 420
atc atg aag cgt gga gac agc ttc ctc gat ggg acc cgg tgt atg        1305
Ile Met Lys Arg Gly Asp Ser Phe Leu Asp Gly Thr Arg Cys Met
                425                 430                 435
cca agt ggc ccc cgg gag gac ggg acc ctg agc ctg tgt gtg tcg        1350
Pro Ser Gly Pro Arg Glu Asp Gly Thr Leu Ser Leu Cys Val Ser
                440                 445                 450
ggc agc tgc agg aca ttt ggc tgt gat ggt agg atg gac tcc cag        1395
Gly Ser Cys Arg Thr Phe Gly Cys Asp Gly Arg Met Asp Ser Gln
                455                 460                 465
cag gta tgg gac agg tgc cag gtg tgt ggt ggg gac aac agc acg        1440
Gln Val Trp Asp Arg Cys Gln Val Cys Gly Gly Asp Asn Ser Thr
                470                 475                 480
tgc agc cca cgg aag ggc tct ttc aca gct ggc aga gcg aga gaa        1485
Cys Ser Pro Arg Lys Gly Ser Phe Thr Ala Gly Arg Ala Arg Glu
                485                 490                 495
```

tat gtc acg ttt ctg aca gtt acc ccc aac ctg acc agt gtc tac 1530
Tyr Val Thr Phe Leu Thr Val Thr Pro Asn Leu Thr Ser Val Tyr
500 505 510
att gcc aac cac agg cct ctc ttc aca cac ttg gcg gtg agg atc 1575
Ile Ala Asn His Arg Pro Leu Phe Thr His Leu Ala Val Arg Ile
515 520 525
gga ggg cgc tat gtc gtg gct ggg aag atg agc atc tcc cct aac 1620
Gly Gly Arg Tyr Val Val Ala Gly Lys Met Ser Ile Ser Pro Asn
530 535 540
acc acc tac ccc tcc ctc ctg gag gat ggt cgt gtc gag tac aga 1665
Thr Thr Tyr Pro Ser Leu Leu Glu Asp Gly Arg Val Glu Tyr Arg
545 550 555
gtg gcc ctc acc gag gac cgg ctg ccc cgc ctg gag gag atc cgc 1710
Val Ala Leu Thr Glu Asp Arg Leu Pro Arg Leu Glu Glu Ile Arg
560 565 570
atc tgg gga ccc ctc cag gaa gat gct gac atc cag gtt tac agg 1755
Ile Trp Gly Pro Leu Gln Glu Asp Ala Asp Ile Gln Val Tyr Arg
575 580 585
cgg tat ggc gag gag tat ggc aac ctc acc cgc cca gac atc acc 1800
Arg Tyr Gly Glu Glu Tyr Gly Asn Leu Thr Arg Pro Asp Ile Thr
590 595 600
ttc acc tac ttc cag cct aag cca cgg cag gcc tgg gtg tgg gcc 1845
Phe Thr Tyr Phe Gln Pro Lys Pro Arg Gln Ala Trp Val Trp Ala
605 610 615
gct gtg cgt ggg ccc tgc tcg gtg agc tgt ggg gca ggg ctg cgc 1890
Ala Val Arg Gly Pro Cys Ser Val Ser Cys Gly Ala Gly Leu Arg
620 625 630
tgg gta aac tac agc tgc ctg gac cag gcc agg aag gag ttg gtg 1935

```
Trp Val Asn Tyr Ser Cys Leu Asp Gln Ala Arg Lys Glu Leu Val
                635                 640                 645
gag act gtc cag tgc caa ggg agc cag cag cca cca gcg tgg cca      1980
Glu Thr Val Gln Cys Gln Gly Ser Gln Gln Pro Pro Ala Trp Pro
                650                 655                 660
gag gcc tgc gtg ctc gaa ccc tgc cct ccc tac tgg gcg gtg gga      2025
Glu Ala Cys Val Leu Glu Pro Cys Pro Pro Tyr Trp Ala Val Gly
                665                 670                 675
gac ttc ggc cca tgc agc gcc tcc tgt ggg ggc ggc ctg cgg gag      2070
Asp Phe Gly Pro Cys Ser Ala Ser Cys Gly Gly Gly Leu Arg Glu
                680                 685                 690
cgg cca gtg cgc tgc gtg gag gcc cag ggc agc ctc ctg aag aca      2115
Arg Pro Val Arg Cys Val Glu Ala Gln Gly Ser Leu Leu Lys Thr
                695                 700                 705
ttg ccc cca gcc cgg tgc aga gca ggg gcc cag cag cca gct gtg      2160
Leu Pro Pro Ala Arg Cys Arg Ala Gly Ala Gln Gln Pro Ala Val
                710                 715                 720
gcg ctg gaa acc tgc aac ccc cag ccc tgc cct gcc agg tgg gag      2205
Ala Leu Glu Thr Cys Asn Pro Gln Pro Cys Pro Ala Arg Trp Glu
                725                 730                 735
gtg tca gag ccc agc tca tgc aca tca gct ggt gga gca ggc ctg      2250
Val Ser Glu Pro Ser Ser Cys Thr Ser Ala Gly Gly Ala Gly Leu
                740                 745                 750
gcc ttg gag aac gag acc tgt gtg cca ggg gca gat ggc ctg gag      2295
Ala Leu Glu Asn Glu Thr Cys Val Pro Gly Ala Asp Gly Leu Glu
                755                 760                 765
gct cca gtg act gag ggg cct ggc tcc gta gat gag aag ctg cct      2340
Ala Pro Val Thr Glu Gly Pro Gly Ser Val Asp Glu Lys Leu Pro
```

770 775 780

gcc cct gag ccc tgt gtc ggg atg tca tgt cct cca ggc tgg ggc 2385
Ala Pro Glu Pro Cys Val Gly Met Ser Cys Pro Pro Gly Trp Gly
785 790 795

cat ctg gat gcc acc tct gca ggg gag aag gct ccc tcc cca tgg 2430
His Leu Asp Ala Thr Ser Ala Gly Glu Lys Ala Pro Ser Pro Trp
800 805 810

ggc agc atc agg acg ggg gct caa gct gca cac gtg tgg acc cct 2475
Gly Ser Ile Arg Thr Gly Ala Gln Ala Ala His Val Trp Thr Pro
815 820 825

gcg gca ggg tcg tgc tcc gtc tcc tgc ggg cga ggt ctg atg gag 2520
Ala Ala Gly Ser Cys Ser Val Ser Cys Gly Arg Gly Leu Met Glu
830 835 840

ctg cgt ttc ctg tgc atg gac tct gcc ctc agg gtg cct gtc cag 2565
Leu Arg Phe Leu Cys Met Asp Ser Ala Leu Arg Val Pro Val Gln
845 850 855

gaa gag ctg tgt ggc ctg gca agc aag cct ggg agc cgg cgg gag 2610
Glu Glu Leu Cys Gly Leu Ala Ser Lys Pro Gly Ser Arg Arg Glu
860 865 870

gtc tgc cag gct gtc ccg tgc cct gct cgg tgg cag tac aag ctg 2655
Val Cys Gln Ala Val Pro Cys Pro Ala Arg Trp Gln Tyr Lys Leu
875 880 885

gcg gcc tgc agc gtg agc tgt ggg aga ggg gtc gtg cgg agg atc 2700
Ala Ala Cys Ser Val Ser Cys Gly Arg Gly Val Val Arg Arg Ile
890 895 900

ctg tat tgt gcc cgg gcc cat ggg gag gac gat ggt gag gag atc 2745
Leu Tyr Cys Ala Arg Ala His Gly Glu Asp Asp Gly Glu Glu Ile
905 910 915

ctg ttg gac acc cag tgc cag ggg ctg cct cgc ccg gaa ccc cag 2790
Leu Leu Asp Thr Gln Cys Gln Gly Leu Pro Arg Pro Glu Pro Gln
920 925 930
gag gcc tgc agc ctg gag ccc tgc cca cct agg tgg aaa gtc atg 2835
Glu Ala Cys Ser Leu Glu Pro Cys Pro Pro Arg Trp Lys Val Met
935 940 945
tcc ctt ggc cca tgt tcg gcc agc tgt ggc ctt ggc act gct aga 2880
Ser Leu Gly Pro Cys Ser Ala Ser Cys Gly Leu Gly Thr Ala Arg
950 955 960
cgc tcg gtg gcc tgt gtg cag ctc gac caa ggc cag gac gtg gag 2925
Arg Ser Val Ala Cys Val Gln Leu Asp Gln Gly Gln Asp Val Glu
965 970 975
gtg gac gag gcg gcc tgt gcg gcg ctg gtg cgg ccc gag gcc agt 2970
Val Asp Glu Ala Ala Cys Ala Ala Leu Val Arg Pro Glu Ala Ser
980 985 990
gtc ccc tgt ctc att gcc gac tgc acc tac cgc tgg cat gtt ggc 3015
Val Pro Cys Leu Ile Ala Asp Cys Thr Tyr Arg Trp His Val Gly
995 1000 1005
acc tgg atg gag tgc tct gtt tcc tgt ggg gat ggc atc cag cgc 3060
Thr Trp Met Glu Cys Ser Val Ser Cys Gly Asp Gly Ile Gln Arg
1010 1015 1020
cgg cgt gac acc tgc ctc gga ccc cag gcc cag gcg cct gtg cca 3105
Arg Arg Asp Thr Cys Leu Gly Pro Gln Ala Gln Ala Pro Val Pro
1025 1030 1035
gct gat ttc tgc cag cac ttg ccc aag ccg gtg act gtg cgt ggc 3150
Ala Asp Phe Cys Gln His Leu Pro Lys Pro Val Thr Val Arg Gly
1040 1045 1050
tgc tgg gct ggg ccc tgt gtg gga cag ggt gcc tgt ggc agg cag 3195

Cys Trp Ala Gly Pro Cys Val Gly Gln Gly Ala Cys Gly Arg Gln

1055 1060 1065

cac ctt gag cca aca gga acc att gac atg cga ggc cca ggg cag 3240

His Leu Glu Pro Thr Gly Thr Ile Asp Met Arg Gly Pro Gly Gln

1070 1075 1080

gca gac tgt gca gtg gcc att ggg cgg ccc ctc ggg gag gtg gtg 3285

Ala Asp Cys Ala Val Ala Ile Gly Arg Pro Leu Gly Glu Val Val

1085 1090 1095

acc ctc cgc gtc ctt gag agt tct ctc aac tgc agt gcg ggg gac 3330

Thr Leu Arg Val Leu Glu Ser Ser Leu Asn Cys Ser Ala Gly Asp

1100 1105 1110

atg ttg ctg ctt tgg ggc cgg ctc acc tgg agg aag atg tgc agg 3375

Met Leu Leu Leu Trp Gly Arg Leu Thr Trp Arg Lys Met Cys Arg

1115 1120 1125

aag ctg ttg gac atg act ttc agc tcc aag acc aac acg ctg gtg 3420

Lys Leu Leu Asp Met Thr Phe Ser Ser Lys Thr Asn Thr Leu Val

1130 1135 1140

gtg agg cag cgc tgc ggg cgg cca gga ggt ggg gtg ctg ctg cgg 3465

Val Arg Gln Arg Cys Gly Arg Pro Gly Gly Gly Val Leu Leu Arg

1145 1150 1155

tat ggg agc cag ctt gct cct gaa acc ttc tac aga gaa tgt gac 3510

Tyr Gly Ser Gln Leu Ala Pro Glu Thr Phe Tyr Arg Glu Cys Asp

1160 1165 1170

atg cag ctc ttt ggg ccc tgg ggt gaa atc gtg agc ccc tcg ctg 3555

Met Gln Leu Phe Gly Pro Trp Gly Glu Ile Val Ser Pro Ser Leu

1175 1180 1185

agt cca gcc acg agt aat gca ggg ggc tgc cgg ctc ttc att aat 3600

Ser Pro Ala Thr Ser Asn Ala Gly Gly Cys Arg Leu Phe Ile Asn

1190 1195 1200

gtg gct ccg cac gca cgg att gcc atc cat gcc ctg gcc acc aac 3645

Val Ala Pro His Ala Arg Ile Ala Ile His Ala Leu Ala Thr Asn

1205 1210 1215

atg ggc gct ggg acc gag gga gcc aat gcc agc tac atc ttg atc 3690

Met Gly Ala Gly Thr Glu Gly Ala Asn Ala Ser Tyr Ile Leu Ile

1220 1225 1230

cgg gac acc cac agc ttg agg acc aca gcg ttc cat ggg cag cag 3735

Arg Asp Thr His Ser Leu Arg Thr Thr Ala Phe His Gly Gln Gln

1235 1240 1245

gtg ctc tac tgg gag tca gag agc agc cag gct gag atg gag ttc 3780

Val Leu Tyr Trp Glu Ser Glu Ser Ser Gln Ala Glu Met Glu Phe

1250 1255 1260

agc gag ggc ttc ctg aag gct cag gcc agc ctg cgg ggc cag tac 3825

Ser Glu Gly Phe Leu Lys Ala Gln Ala Ser Leu Arg Gly Gln Tyr

1265 1270 1275

tgg acc ctc caa tca tgg gta ccg gag atg cag gac cct cag tcc 3870

Trp Thr Leu Gln Ser Trp Val Pro Glu Met Gln Asp Pro Gln Ser

1280 1285 1290

tgg aag gga aag gaa gga acc 3891

Trp Lys Gly Lys Glu Gly Thr

1295

<210>18

<211>1378

<212>PRT

<213> Homo sapiens

<400>18

```
gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc          45
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1               5                  10                  15
ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg          90
Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val
            20                  25                  30
ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc         135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
            35                  40                  45
ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg         180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
            50                  55                  60
aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg         225
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
            65                  70                  75
tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag         270
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
            80                  85                  90
gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act         315
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
            95                 100                 105
agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc         360
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
            110                 115                 120
gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc         405
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
            125                 130                 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat         450
```

```
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
                140                 145                 150
gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc      495
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly
                155                 160                 165
agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc      540
Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala
                170                 175                 180
gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag      585
Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln
                185                 190                 195
ctg ctg agc ctg ctc agg acg ggc gcg ctg cgt gtg gga ccc gcc      630
Leu Leu Ser Leu Leu Arg Thr Gly Ala Leu Arg Val Gly Pro Ala
                200                 205                 210
gcg gcc tca acc cgg gtc cgc ggg gca ccc gcc gga tgc gca gcc      675
Ala Ala Ser Thr Arg Val Arg Gly Ala Pro Ala Gly Cys Ala Ala
                215                 220                 225
tgg cct cta cta cag cgc caa cga gca gtg ccg cgt ggc ctt cgg      720
Trp Pro Leu Leu Gln Arg Gln Arg Ala Val Pro Arg Gly Leu Arg
                230                 235                 240
ccc caa ggc tgt cgc ctg cac ctt cgc cag gga gca cct ggt gag      765
Pro Gln Gly Cys Arg Leu His Leu Arg Gln Gly Ala Pro Gly Glu
                245                 250                 255
tct gcc ggc ggt ggc ctg gga ttg gct gtg agg tcc ctc cgc atc      810
Ser Ala Gly Gly Gly Leu Gly Leu Ala Val Arg Ser Leu Arg Ile
                260                 265                 270
acc cag ctc acg tcc ccc caa acg tgc atg gat atg tgc cag gcc      855
Thr Gln Leu Thr Ser Pro Gln Thr Cys Met Asp Met Cys Gln Ala
```

275 280 285

ctc tcc tgc cac aca gac ccg ctg gac caa agc agc tgc agc cgc 900

Leu Ser Cys His Thr Asp Pro Leu Asp Gln Ser Ser Cys Ser Arg

290 295 300

ctc ctc gtt cct ctc ctg gat ggg aca gaa tgt ggc gtg gag aag 945

Leu Leu Val Pro Leu Leu Asp Gly Thr Glu Cys Gly Val Glu Lys

305 310 315

tgg tgc tcc aag ggt cgc tgc cgc tcc ctg gtg gag ctg acc ccc 990

Trp Cys Ser Lys Gly Arg Cys Arg Ser Leu Val Glu Leu Thr Pro

320 325 330

ata gca gca gtg cat ggg cgc tgg tct agc tgg ggt ccc cga agt 1035

Ile Ala Ala Val His Gly Arg Trp Ser Ser Trp Gly Pro Arg Ser

335 340 345

cct tgc tcc cgc tcc tgc gga gga ggt gtg gtc acc agg agg cgg 1080

Pro Cys Ser Arg Ser Cys Gly Gly Gly Val Val Thr Arg Arg Arg

350 355 360

cag tgc aac aac ccc aga cct gcc ttt ggg ggg cgt gca tgt gtt 1125

Gln Cys Asn Asn Pro Arg Pro Ala Phe Gly Gly Arg Ala Cys Val

365 370 375

ggt gct gac ctc cag gcc gag atg tgc aac act cag gcc tgc gag 1170

Gly Ala Asp Leu Gln Ala Glu Met Cys Asn Thr Gln Ala Cys Glu

380 385 390

aag acc cag ctg gag ttc atg tcg caa cag tgc gcc agg acc gac 1215

Lys Thr Gln Leu Glu Phe Met Ser Gln Gln Cys Ala Arg Thr Asp

395 400 405

ggc cag ccg ctg cgc tcc tcc cct ggc ggc gcc tcc ttc tac cac 1260

Gly Gln Pro Leu Arg Ser Ser Pro Gly Gly Ala Ser Phe Tyr His

410 415 420

```
tgg ggt gct gct gta cca cac agc caa ggg gat gct ctg tgc aga          1305
Trp Gly Ala Ala Val Pro His Ser Gln Gly Asp Ala Leu Cys Arg
                425                 430                 435
cac atg tgc cgg gcc att ggc gag agc ttc atc atg aag cgt gga          1350
His Met Cys Arg Ala Ile Gly Glu Ser Phe Ile Met Lys Arg Gly
                440                 445                 450
gac agc ttc ctc gat ggg acc cgg tgt atg cca agt ggc ccc cgg          1395
Asp Ser Phe Leu Asp Gly Thr Arg Cys Met Pro Ser Gly Pro Arg
                455                 460                 465
gag gac ggg acc ctg agc ctg tgt gtg tcg ggc agc tgc agg aca          1440
Glu Asp Gly Thr Leu Ser Leu Cys Val Ser Gly Ser Cys Arg Thr
                470                 475                 480
ttt ggc tgt gat ggt agg atg gac tcc cag cag gta tgg gac agg          1485
Phe Gly Cys Asp Gly Arg Met Asp Ser Gln Gln Val Trp Asp Arg
                485                 490                 495
tgc cag gtg tgt ggt ggg gac aac agc acg tgc agc cca cgg aag          1530
Cys Gln Val Cys Gly Gly Asp Asn Ser Thr Cys Ser Pro Arg Lys
                500                 505                 510
ggc tct ttc aca gct ggc aga gcg aga gaa tat gtc acg ttt ctg          1575
Gly Ser Phe Thr Ala Gly Arg Ala Arg Glu Tyr Val Thr Phe Leu
                515                 520                 525
aca gtt acc ccc aac ctg acc agt gtc tac att gcc aac cac agg          1620
Thr Val Thr Pro Asn Leu Thr Ser Val Tyr Ile Ala Asn His Arg
                530                 535                 540
cct ctc ttc aca cac ttg gcg gtg agg atc gga ggg cgc tat gtc          1665
Pro Leu Phe Thr His Leu Ala Val Arg Ile Gly Gly Arg Tyr Val
                545                 550                 555
gtg gct ggg aag atg agc atc tcc cct aac acc acc tac ccc tcc          1710
```

Val Ala Gly Lys Met Ser Ile Ser Pro Asn Thr Thr Tyr Pro Ser

560 565 570

ctc ctg gag gat ggt cgt gtc gag tac aga gtg gcc ctc acc gag 1755

Leu Leu Glu Asp Gly Arg Val Glu Tyr Arg Val Ala Leu Thr Glu

575 580 585

gac cgg ctg ccc cgc ctg gag gag atc cgc atc tgg gga ccc ctc 1800

Asp Arg Leu Pro Arg Leu Glu Glu Ile Arg Ile Trp Gly Pro Leu

590 595 600

cag gaa gat gct gac atc cag gtt tac agg cgg tat ggc gag gag 1845

Gln Glu Asp Ala Asp Ile Gln Val Tyr Arg Arg Tyr Gly Glu Glu

605 610 615

tat ggc aac ctc acc cgc cca gac atc acc ttc acc tac ttc cag 1890

Tyr Gly Asn Leu Thr Arg Pro Asp Ile Thr Phe Thr Tyr Phe Gln

620 625 630

cct aag cca cgg cag gcc tgg gtg tgg gcc gct gtg cgt ggg ccc 1935

Pro Lys Pro Arg Gln Ala Trp Val Trp Ala Ala Val Arg Gly Pro

635 640 645

tgc tcg gtg agc tgt ggg gca ggg ctg cgc tgg gta aac tac agc 1980

Cys Ser Val Ser Cys Gly Ala Gly Leu Arg Trp Val Asn Tyr Ser

650 655 660

tgc ctg gac cag gcc agg aag gag ttg gtg gag act gtc cag tgc 2025

Cys Leu Asp Gln Ala Arg Lys Glu Leu Val Glu Thr Val Gln Cys

665 670 675

caa ggg agc cag cag cca cca gcg tgg cca gag gcc tgc gtg ctc 2070

Gln Gly Ser Gln Gln Pro Pro Ala Trp Pro Glu Ala Cys Val Leu

680 685 690

gaa ccc tgc cct ccc tac tgg gcg gtg gga gac ttc ggc cca tgc 2115

Glu Pro Cys Pro Pro Tyr Trp Ala Val Gly Asp Phe Gly Pro Cys

695 700 705

agc gcc tcc tgt ggg ggc ggc ctg cgg gag cgg cca gtg cgc tgc 2160

Ser Ala Ser Cys Gly Gly Gly Leu Arg Glu Arg Pro Val Arg Cys

710 715 720

gtg gag gcc cag ggc agc ctc ctg aag aca ttg ccc cca gcc cgg 2205

Val Glu Ala Gln Gly Ser Leu Leu Lys Thr Leu Pro Pro Ala Arg

725 730 735

tgc aga gca ggg gcc cag cag cca gct gtg gcg ctg gaa acc tgc 2250

Cys Arg Ala Gly Ala Gln Gln Pro Ala Val Ala Leu Glu Thr Cys

740 745 750

aac ccc cag ccc tgc cct gcc agg tgg gag gtg tca gag ccc agc 2295

Asn Pro Gln Pro Cys Pro Ala Arg Trp Glu Val Ser Glu Pro Ser

755 760 765

tca tgc aca tca gct ggt gga gca ggc ctg gcc ttg gag aac gag 2340

Ser Cys Thr Ser Ala Gly Gly Ala Gly Leu Ala Leu Glu Asn Glu

770 775 780

acc tgt gtg cca ggg gca gat ggc ctg gag gct cca gtg act gag 2385

Thr Cys Val Pro Gly Ala Asp Gly Leu Glu Ala Pro Val Thr Glu

785 790 795

ggg cct ggc tcc gta gat gag aag ctg cct gcc cct gag ccc tgt 2430

Gly Pro Gly Ser Val Asp Glu Lys Leu Pro Ala Pro Glu Pro Cys

800 805 810

gtc ggg atg tca tgt cct cca ggc tgg ggc cat ctg gat gcc acc 2475

Val Gly Met Ser Cys Pro Pro Gly Trp Gly His Leu Asp Ala Thr

815 820 825

tct gca ggg gag aag gct ccc tcc cca tgg ggc agc atc agg acg 2520

Ser Ala Gly Glu Lys Ala Pro Ser Pro Trp Gly Ser Ile Arg Thr

830 835 840

ggg gct caa gct gca cac gtg tgg acc cct gcg gca ggg tcg tgc 2565
Gly Ala Gln Ala Ala His Val Trp Thr Pro Ala Ala Gly Ser Cys
845 850 855
tcc gtc tcc tgc ggg cga ggt ctg atg gag ctg cgt ttc ctg tgc 2610
Ser Val Ser Cys Gly Arg Gly Leu Met Glu Leu Arg Phe Leu Cys
860 865 870
atg gac tct gcc ctc agg gtg cct gtc cag gaa gag ctg tgt ggc 2655
Met Asp Ser Ala Leu Arg Val Pro Val Gln Glu Glu Leu Cys Gly
875 880 885
ctg gca agc aag cct ggg agc cgg cgg gag gtc tgc cag gct gtc 2700
Leu Ala Ser Lys Pro Gly Ser Arg Arg Glu Val Cys Gln Ala Val
890 895 900
ccg tgc cct gct cgg tgg cag tac aag ctg gcg gcc tgc agc gtg 2745
Pro Cys Pro Ala Arg Trp Gln Tyr Lys Leu Ala Ala Cys Ser Val
905 910 915
agc tgt ggg aga ggg gtc gtg cgg agg atc ctg tat tgt gcc cgg 2790
Ser Cys Gly Arg Gly Val Val Arg Arg Ile Leu Tyr Cys Ala Arg
920 925 930
gcc cat ggg gag gac gat ggt gag gag atc ctg ttg gac acc cag 2835
Ala His Gly Glu Asp Asp Gly Glu Glu Ile Leu Leu Asp Thr Gln
935 940 945
tgc cag ggg ctg cct cgc ccg gaa ccc cag gag gcc tgc agc ctg 2880
Cys Gln Gly Leu Pro Arg Pro Glu Pro Gln Glu Ala Cys Ser Leu
950 955 960
gag ccc tgc cca cct agg tgg aaa gtc atg tcc ctt ggc cca tgt 2925
Glu Pro Cys Pro Pro Arg Trp Lys Val Met Ser Leu Gly Pro Cys
965 970 975
tcg gcc agc tgt ggc ctt ggc act gct aga cgc tcg gtg gcc tgt 2970

Ser Ala Ser Cys Gly Leu Gly Thr Ala Arg Arg Ser Val Ala Cys
980 985 990

gtg cag ctc gac caa ggc cag gac gtg gag gtg gac gag gcg gcc 3015
Val Gln Leu Asp Gln Gly Gln Asp Val Glu Val Asp Glu Ala Ala
995 1000 1005

tgt gcg gcg ctg gtg cgg ccc gag gcc agt gtc ccc tgt ctc att 3060
Cys Ala Ala Leu Val Arg Pro Glu Ala Ser Val Pro Cys Leu Ile
1010 1015 1020

gcc gac tgc acc tac cgc tgg cat gtt ggc acc tgg atg gag tgc 3105
Ala Asp Cys Thr Tyr Arg Trp His Val Gly Thr Trp Met Glu Cys
1025 1030 1035

tct gtt tcc tgt ggg gat ggc atc cag cgc cgg cgt gac acc tgc 3150
Ser Val Ser Cys Gly Asp Gly Ile Gln Arg Arg Arg Asp Thr Cys
1040 1045 1050

ctc gga ccc cag gcc cag gcg cct gtg cca gct gat ttc tgc cag 3195
Leu Gly Pro Gln Ala Gln Ala Pro Val Pro Ala Asp Phe Cys Gln
1055 1060 1065

cac ttg ccc aag ccg gtg act gtg cgt ggc tgc tgg gct ggg ccc 3240
His Leu Pro Lys Pro Val Thr Val Arg Gly Cys Trp Ala Gly Pro
1070 1075 1080

tgt gtg gga cag ggt acg ccc agc ctg gtg ccc cac gaa gaa gcc 3285
Cys Val Gly Gln Gly Thr Pro Ser Leu Val Pro His Glu Glu Ala
1085 1090 1095

gct gct cca gga cgg acc aca gcc acc cct gct ggt gcc tcc ctg 3330
Ala Ala Pro Gly Arg Thr Thr Ala Thr Pro Ala Gly Ala Ser Leu
1100 1105 1110

gag tgg tcc cag gcc cgg ggc ctg ctc ttc tcc ccg gct ccc cag 3375
Glu Trp Ser Gln Ala Arg Gly Leu Leu Phe Ser Pro Ala Pro Gln

1115 1120 1125

cct cgg cgg ctc ctg ccc ggg ccc cag gaa aac tca gtg cag tcc 3420
Pro Arg Arg Leu Leu Pro Gly Pro Gln Glu Asn Ser Val Gln Ser

1130 1135 1140

agt gcc tgt ggc agg cag cac ctt gag cca aca gga acc att gac 3465
Ser Ala Cys Gly Arg Gln His Leu Glu Pro Thr Gly Thr Ile Asp

1145 1150 1155

atg cga ggc cca ggg cag gca gac tgt gca gtg gcc att ggg cgg 3510
Met Arg Gly Pro Gly Gln Ala Asp Cys Ala Val Ala Ile Gly Arg

1160 1165 1170

ccc ctc ggg gag gtg gtg acc ctc cgc gtc ctt gag agt tct ctc 3555
Pro Leu Gly Glu Val Val Thr Leu Arg Val Leu Glu Ser Ser Leu

1175 1180 1185

aac tgc agt gcg ggg gac atg ttg ctg ctt tgg ggc cgg ctc acc 3600
Asn Cys Ser Ala Gly Asp Met Leu Leu Leu Trp Gly Arg Leu Thr

1190 1195 1200

tgg agg aag atg tgc agg aag ctg ttg gac atg act ttc agc tcc 3645
Trp Arg Lys Met Cys Arg Lys Leu Leu Asp Met Thr Phe Ser Ser

1205 1210 1215

aag acc aac acg ctg gtg gtg agg cag cgc tgc ggg cgg cca gga 3690
Lys Thr Asn Thr Leu Val Val Arg Gln Arg Cys Gly Arg Pro Gly

1220 1225 1230

ggt ggg gtg ctg ctg cgg tat ggg agc cag ctt gct cct gaa acc 3735
Gly Gly Val Leu Leu Arg Tyr Gly Ser Gln Leu Ala Pro Glu Thr

1235 1240 1245

ttc tac aga gaa tgt gac atg cag ctc ttt ggg ccc tgg ggt gaa 3780
Phe Tyr Arg Glu Cys Asp Met Gln Leu Phe Gly Pro Trp Gly Glu

1250 1255 1260

atc gtg agc ccc tcg ctg agt cca gcc acg agt aat gca ggg ggc 3825
Ile Val Ser Pro Ser Leu Ser Pro Ala Thr Ser Asn Ala Gly Gly
1265 1270 1275
tgc cgg ctc ttc att aat gtg gct ccg cac gca cgg att gcc atc 3870
Cys Arg Leu Phe Ile Asn Val Ala Pro His Ala Arg Ile Ala Ile
1280 1285 1290
cat gcc ctg gcc acc aac atg ggc gct ggg acc gag gga gcc aat 3915
His Ala Leu Ala Thr Asn Met Gly Ala Gly Thr Glu Gly Ala Asn
1295 1300 1305
gcc agc tac atc ttg atc cgg gac acc cac agc ttg agg acc aca 3960
Ala Ser Tyr Ile Leu Ile Arg Asp Thr His Ser Leu Arg Thr Thr
1310 1315 1320
gcg ttc cat ggg cag cag gtg ctc tac tgg gag tca gag agc agc 4005
Ala Phe His Gly Gln Gln Val Leu Tyr Trp Glu Ser Glu Ser Ser
1325 1330 1335
cag gct gag atg gag ttc agc gag ggc ttc ctg aag gct cag gcc 4050
Gln Ala Glu Met Glu Phe Ser Glu Gly Phe Leu Lys Ala Gln Ala
1340 1345 1350
agc ctg cgg ggc cag tac tgg acc ctc caa tca tgg gta ccg gag 4095
Ser Leu Arg Gly Gln Tyr Trp Thr Leu Gln Ser Trp Val Pro Glu
1355 1360 1365
atg cag gac cct cag tcc tgg aag gga aag gaa gga acc 4134
Met Gln Asp Pro Gln Ser Trp Lys Gly Lys Glu Gly Thr
1370 1375

<210>19

<211>1322

<212>PRT

<213> Homo sapiens

<400>19

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15

ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg 90
Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val
20 25 30

ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45

ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60

aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg 225
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65 70 75

tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag 270
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
80 85 90

gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act 315
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
95 100 105

agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc 360
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
110 115 120

gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc 405
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu

```
                125                 130                 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat          450
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
                140                 145                 150
gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc          495
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly
                155                 160                 165
agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc          540
Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala
                170                 175                 180
gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag          585
Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln
                185                 190                 195
ctg ctg agc ctg ctc agg acg ggc gcg ctg cgt gtg gga ccc gcc          630
Leu Leu Ser Leu Leu Arg Thr Gly Ala Leu Arg Val Gly Pro Ala
                200                 205                 210
gcg gcc tca acc cgg gtc cgc ggg gca ccc gcc gga tgc gca gcc          675
Ala Ala Ser Thr Arg Val Arg Gly Ala Pro Ala Gly Cys Ala Ala
                215                 220                 225
tgg cct cta cta cag cgc caa cga gca gtg ccg cgt ggc ctt cgg          720
Trp Pro Leu Leu Gln Arg Gln Arg Ala Val Pro Arg Gly Leu Arg
                230                 235                 240
ccc caa ggc tgt cgc ctg cac ctt cgc cag gga gca cct ggt gag          765
Pro Gln Gly Cys Arg Leu His Leu Arg Gln Gly Ala Pro Gly Glu
                245                 250                 255
tct gcc ggc ggt ggc ctg gga ttg gct gtg agg tcc ctc cgc atc          810
Ser Ala Gly Gly Gly Leu Gly Leu Ala Val Arg Ser Leu Arg Ile
                260                 265                 270
```

```
acc cag ctc acg tcc ccc caa acg tgc atg gat atg tgc cag gcc          855
Thr Gln Leu Thr Ser Pro Gln Thr Cys Met Asp Met Cys Gln Ala
                275                 280                 285
ctc tcc tgc cac aca gac ccg ctg gac caa agc agc tgc agc cgc          900
Leu Ser Cys His Thr Asp Pro Leu Asp Gln Ser Ser Cys Ser Arg
                290                 295                 300
ctc ctc gtt cct ctc ctg gat ggg aca gaa tgt ggc gtg gag aag          945
Leu Leu Val Pro Leu Leu Asp Gly Thr Glu Cys Gly Val Glu Lys
                305                 310                 315
tgg tgc tcc aag ggt cgc tgc cgc tcc ctg gtg gag ctg acc ccc          990
Trp Cys Ser Lys Gly Arg Cys Arg Ser Leu Val Glu Leu Thr Pro
                320                 325                 330
ata gca gca gtg cat ggg cgc tgg tct agc tgg ggt ccc cga agt          1035
Ile Ala Ala Val His Gly Arg Trp Ser Ser Trp Gly Pro Arg Ser
                335                 340                 345
cct tgc tcc cgc tcc tgc gga gga ggt gtg gtc acc agg agg cgg          1080
Pro Cys Ser Arg Ser Cys Gly Gly Gly Val Val Thr Arg Arg Arg
                350                 355                 360
cag tgc aac aac ccc aga cct gcc ttt ggg ggg cgt gca tgt gtt          1125
Gln Cys Asn Asn Pro Arg Pro Ala Phe Gly Gly Arg Ala Cys Val
                365                 370                 375
ggt gct gac ctc cag gcc gag atg tgc aac act cag gcc tgc gag          1170
Gly Ala Asp Leu Gln Ala Glu Met Cys Asn Thr Gln Ala Cys Glu
                380                 385                 390
aag acc cag ctg gag ttc atg tcg caa cag tgc gcc agg acc gac          1215
Lys Thr Gln Leu Glu Phe Met Ser Gln Gln Cys Ala Arg Thr Asp
                395                 400                 405
ggc cag ccg ctg cgc tcc tcc cct ggc ggc gcc tcc ttc tac cac          1260
```

Gly Gln Pro Leu Arg Ser Ser Pro Gly Gly Ala Ser Phe Tyr His
410 415 420

tgg ggt gct gct gta cca cac agc caa ggg gat gct ctg tgc aga 1305
Trp Gly Ala Ala Val Pro His Ser Gln Gly Asp Ala Leu Cys Arg
425 430 435

cac atg tgc cgg gcc att ggc gag agc ttc atc atg aag cgt gga 1350
His Met Cys Arg Ala Ile Gly Glu Ser Phe Ile Met Lys Arg Gly
440 445 450

gac agc ttc ctc gat ggg acc cgg tgt atg cca agt ggc ccc cgg 1395
Asp Ser Phe Leu Asp Gly Thr Arg Cys Met Pro Ser Gly Pro Arg
455 460 465

gag gac ggg acc ctg agc ctg tgt gtg tcg ggc agc tgc agg aca 1440
Glu Asp Gly Thr Leu Ser Leu Cys Val Ser Gly Ser Cys Arg Thr
470 475 480

ttt ggc tgt gat ggt agg atg gac tcc cag cag gta tgg gac agg 1485
Phe Gly Cys Asp Gly Arg Met Asp Ser Gln Gln Val Trp Asp Arg
485 490 495

tgc cag gtg tgt ggt ggg gac aac agc acg tgc agc cca cgg aag 1530
Cys Gln Val Cys Gly Gly Asp Asn Ser Thr Cys Ser Pro Arg Lys
500 505 510

ggc tct ttc aca gct ggc aga gcg aga gaa tat gtc acg ttt ctg 1575
Gly Ser Phe Thr Ala Gly Arg Ala Arg Glu Tyr Val Thr Phe Leu
515 520 525

aca gtt acc ccc aac ctg acc agt gtc tac att gcc aac cac agg 1620
Thr Val Thr Pro Asn Leu Thr Ser Val Tyr Ile Ala Asn His Arg
530 535 540

cct ctc ttc aca cac ttg gcg gtg agg atc gga ggg cgc tat gtc 1665
Pro Leu Phe Thr His Leu Ala Val Arg Ile Gly Gly Arg Tyr Val

545 550 555

gtg gct ggg aag atg agc atc tcc cct aac acc acc tac ccc tcc 1710
Val Ala Gly Lys Met Ser Ile Ser Pro Asn Thr Thr Tyr Pro Ser
560 565 570

ctc ctg gag gat ggt cgt gtc gag tac aga gtg gcc ctc acc gag 1755
Leu Leu Glu Asp Gly Arg Val Glu Tyr Arg Val Ala Leu Thr Glu
575 580 585

gac cgg ctg ccc cgc ctg gag gag atc cgc atc tgg gga ccc ctc 1800
Asp Arg Leu Pro Arg Leu Glu Glu Ile Arg Ile Trp Gly Pro Leu
590 595 600

cag gaa gat gct gac atc cag gtt tac agg cgg tat ggc gag gag 1845
Gln Glu Asp Ala Asp Ile Gln Val Tyr Arg Arg Tyr Gly Glu Glu
605 610 615

tat ggc aac ctc acc cgc cca gac atc acc ttc acc tac ttc cag 1890
Tyr Gly Asn Leu Thr Arg Pro Asp Ile Thr Phe Thr Tyr Phe Gln
620 625 630

cct aag cca cgg cag gcc tgg gtg tgg gcc gct gtg cgt ggg ccc 1935
Pro Lys Pro Arg Gln Ala Trp Val Trp Ala Ala Val Arg Gly Pro
635 640 645

tgc tcg gtg agc tgt ggg gca ggg ctg cgc tgg gta aac tac agc 1980
Cys Ser Val Ser Cys Gly Ala Gly Leu Arg Trp Val Asn Tyr Ser
650 655 660

tgc ctg gac cag gcc agg aag gag ttg gtg gag act gtc cag tgc 2025
Cys Leu Asp Gln Ala Arg Lys Glu Leu Val Glu Thr Val Gln Cys
665 670 675

caa ggg agc cag cag cca cca gcg tgg cca gag gcc tgc gtg ctc 2070
Gln Gly Ser Gln Gln Pro Pro Ala Trp Pro Glu Ala Cys Val Leu
680 685 690

```
gaa ccc tgc cct ccc tac tgg gcg gtg gga gac ttc ggc cca tgc          2115
Glu Pro Cys Pro Pro Tyr Trp Ala Val Gly Asp Phe Gly Pro Cys
                695                 700                 705
agc gcc tcc tgt ggg ggc ggc ctg cgg gag cgg cca gtg cgc tgc          2160
Ser Ala Ser Cys Gly Gly Gly Leu Arg Glu Arg Pro Val Arg Cys
                710                 715                 720
gtg gag gcc cag ggc agc ctc ctg aag aca ttg ccc cca gcc cgg          2205
Val Glu Ala Gln Gly Ser Leu Leu Lys Thr Leu Pro Pro Ala Arg
                725                 730                 735
tgc aga gca ggg gcc cag cag cca gct gtg gcg ctg gaa acc tgc          2250
Cys Arg Ala Gly Ala Gln Gln Pro Ala Val Ala Leu Glu Thr Cys
                740                 745                 750
aac ccc cag ccc tgc cct gcc agg tgg gag gtg tca gag ccc agc          2295
Asn Pro Gln Pro Cys Pro Ala Arg Trp Glu Val Ser Glu Pro Ser
                755                 760                 765
tca tgc aca tca gct ggt gga gca ggc ctg gcc ttg gag aac gag          2340
Ser Cys Thr Ser Ala Gly Gly Ala Gly Leu Ala Leu Glu Asn Glu
                770                 775                 780
acc tgt gtg cca ggg gca gat ggc ctg gag gct cca gtg act gag          2385
Thr Cys Val Pro Gly Ala Asp Gly Leu Glu Ala Pro Val Thr Glu
                785                 790                 795
ggg cct ggc tcc gta gat gag aag ctg cct gcc cct gag ccc tgt          2430
Gly Pro Gly Ser Val Asp Glu Lys Leu Pro Ala Pro Glu Pro Cys
                800                 805                 810
gtc ggg atg tca tgt cct cca ggc tgg ggc cat ctg gat gcc acc          2475
Val Gly Met Ser Cys Pro Pro Gly Trp Gly His Leu Asp Ala Thr
                815                 820                 825
tct gca ggg gag aag gct ccc tcc cca tgg ggc agc atc agg acg          2520
```

Ser Ala Gly Glu Lys Ala Pro Ser Pro Trp Gly Ser Ile Arg Thr

830 835 840

ggg gct caa gct gca cac gtg tgg acc cct gcg gca ggg tcg tgc 2565

Gly Ala Gln Ala Ala His Val Trp Thr Pro Ala Ala Gly Ser Cys

845 850 855

tcc gtc tcc tgc ggg cga ggt ctg atg gag ctg cgt ttc ctg tgc 2610

Ser Val Ser Cys Gly Arg Gly Leu Met Glu Leu Arg Phe Leu Cys

860 865 870

atg gac tct gcc ctc agg gtg cct gtc cag gaa gag ctg tgt ggc 2655

Met Asp Ser Ala Leu Arg Val Pro Val Gln Glu Glu Leu Cys Gly

875 880 885

ctg gca agc aag cct ggg agc cgg cgg gag gtc tgc cag gct gtc 2700

Leu Ala Ser Lys Pro Gly Ser Arg Arg Glu Val Cys Gln Ala Val

890 895 900

ccg tgc cct gct cgg tgg cag tac aag ctg gcg gcc tgc agc gtg 2745

Pro Cys Pro Ala Arg Trp Gln Tyr Lys Leu Ala Ala Cys Ser Val

905 910 915

agc tgt ggg aga ggg gtc gtg cgg agg atc ctg tat tgt gcc cgg 2790

Ser Cys Gly Arg Gly Val Val Arg Arg Ile Leu Tyr Cys Ala Arg

920 925 930

gcc cat ggg gag gac gat ggt gag gag atc ctg ttg gac acc cag 2835

Ala His Gly Glu Asp Asp Gly Glu Glu Ile Leu Leu Asp Thr Gln

935 940 945

tgc cag ggg ctg cct cgc ccg gaa ccc cag gag gcc tgc agc ctg 2880

Cys Gln Gly Leu Pro Arg Pro Glu Pro Gln Glu Ala Cys Ser Leu

950 955 960

gag ccc tgc cca cct agg tgg aaa gtc atg tcc ctt ggc cca tgt 2925

Glu Pro Cys Pro Pro Arg Trp Lys Val Met Ser Leu Gly Pro Cys

```
                965                 970                 975
tcg gcc agc tgt ggc ctt ggc act gct aga cgc tcg gtg gcc tgt        2970
Ser Ala Ser Cys Gly Leu Gly Thr Ala Arg Arg Ser Val Ala Cys
                980                 985                 990
gtg cag ctc gac caa ggc cag gac gtg gag gtg gac gag gcg gcc        3015
Val Gln Leu Asp Gln Gly Gln Asp Val Glu Val Asp Glu Ala Ala
                995                1000                1005
tgt gcg gcg ctg gtg cgg ccc gag gcc agt gtc ccc tgt ctc att        3060
Cys Ala Ala Leu Val Arg Pro Glu Ala Ser Val Pro Cys Leu Ile
               1010                1015                1020
gcc gac tgc acc tac cgc tgg cat gtt ggc acc tgg atg gag tgc        3105
Ala Asp Cys Thr Tyr Arg Trp His Val Gly Thr Trp Met Glu Cys
               1025                1030                1035
tct gtt tcc tgt ggg gat ggc atc cag cgc cgg cgt gac acc tgc        3150
Ser Val Ser Cys Gly Asp Gly Ile Gln Arg Arg Arg Asp Thr Cys
               1040                1045                1050
ctc gga ccc cag gcc cag gcg cct gtg cca gct gat ttc tgc cag        3195
Leu Gly Pro Gln Ala Gln Ala Pro Val Pro Ala Asp Phe Cys Gln
               1055                1060                1065
cac ttg ccc aag ccg gtg act gtg cgt ggc tgc tgg gct ggg ccc        3240
His Leu Pro Lys Pro Val Thr Val Arg Gly Cys Trp Ala Gly Pro
               1070                1075                1080
tgt gtg gga cag ggt gcc tgt ggc agg cag cac ctt gag cca aca        3285
Cys Val Gly Gln Gly Ala Cys Gly Arg Gln His Leu Glu Pro Thr
               1085                1090                1095
gga acc att gac atg cga ggc cca ggg cag gca gac tgt gca gtg        3330
Gly Thr Ile Asp Met Arg Gly Pro Gly Gln Ala Asp Cys Ala Val
               1100                1105                1110
```

gcc att ggg cgg ccc ctc ggg gag gtg gtg acc ctc cgc gtc ctt 3375

Ala Ile Gly Arg Pro Leu Gly Glu Val Val Thr Leu Arg Val Leu

1115 1120 1125

gag agt tct ctc aac tgc agt gcg ggg gac atg ttg ctg ctt tgg 3420

Glu Ser Ser Leu Asn Cys Ser Ala Gly Asp Met Leu Leu Leu Trp

1130 1135 1140

ggc cgg ctc acc tgg agg aag atg tgc agg aag ctg ttg gac atg 3465

Gly Arg Leu Thr Trp Arg Lys Met Cys Arg Lys Leu Leu Asp Met

1145 1150 1155

act ttc agc tcc aag acc aac acg ctg gtg gtg agg cag cgc tgc 3510

Thr Phe Ser Ser Lys Thr Asn Thr Leu Val Val Arg Gln Arg Cys

1160 1165 1170

ggg cgg cca gga ggt ggg gtg ctg ctg cgg tat ggg agc cag ctt 3555

Gly Arg Pro Gly Gly Gly Val Leu Leu Arg Tyr Gly Ser Gln Leu

1175 1180 1185

gct cct gaa acc ttc tac aga gaa tgt gac atg cag ctc ttt ggg 3600

Ala Pro Glu Thr Phe Tyr Arg Glu Cys Asp Met Gln Leu Phe Gly

1190 1195 1200

ccc tgg ggt gaa atc gtg agc ccc tcg ctg agt cca gcc acg agt 3645

Pro Trp Gly Glu Ile Val Ser Pro Ser Leu Ser Pro Ala Thr Ser

1205 1210 1215

aat gca ggg ggc tgc cgg ctc ttc att aat gtg gct ccg cac gca 3690

Asn Ala Gly Gly Cys Arg Leu Phe Ile Asn Val Ala Pro His Ala

1220 1225 1230

cgg att gcc atc cat gcc ctg gcc acc aac atg ggc gct ggg acc 3735

Arg Ile Ala Ile His Ala Leu Ala Thr Asn Met Gly Ala Gly Thr

1235 1240 1245

gag gga gcc aat gcc agc tac atc ttg atc cgg gac acc cac agc 3780

Glu Gly Ala Asn Ala Ser Tyr Ile Leu Ile Arg Asp Thr His Ser

1250 1255 1260

ttg agg acc aca gcg ttc cat ggg cag cag gtg ctc tac tgg gag 3825

Leu Arg Thr Thr Ala Phe His Gly Gln Gln Val Leu Tyr Trp Glu

1265 1270 1275

tca gag agc agc cag gct gag atg gag ttc agc gag ggc ttc ctg 3870

Ser Glu Ser Ser Gln Ala Glu Met Glu Phe Ser Glu Gly Phe Leu

1280 1285 1290

aag gct cag gcc agc ctg cgg ggc cag tac tgg acc ctc caa tca 3915

Lys Ala Gln Ala Ser Leu Arg Gly Gln Tyr Trp Thr Leu Gln Ser

1295 1300 1305

tgg gta ccg gag atg cag gac cct cag tcc tgg aag gga aag gaa 3960

Trp Val Pro Glu Met Gln Asp Pro Gln Ser Trp Lys Gly Lys Glu

1310 1315 1320

gga acc 3966

Gly Thr

<210>20

<211>312

<212>PRT

<213> Homo sapiens

<400>20

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45

Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly

1 5 10 15

ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg 90

Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val

20 25 30

ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45
ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60
aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg 225
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65 70 75
tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag 270
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
80 85 90
gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act 315
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
95 100 105
agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc 360
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
110 115 120
gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc 405
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
125 130 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat 450
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
140 145 150
gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc 495
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly
155 160 165
agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc 540

Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala

170 175 180

gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag 585

Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln

185 190 195

ctg ctg agc ctg ctc agg acg ggc gcg ctg cgt gtg gga ccc gcc 630

Leu Leu Ser Leu Leu Arg Thr Gly Ala Leu Arg Val Gly Pro Ala

200 205 210

gcg gcc tca acc cgg gtc cgc ggg gca ccc gcc gga tgc gca gcc 675

Ala Ala Ser Thr Arg Val Arg Gly Ala Pro Ala Gly Cys Ala Ala

215 220 225

tgg cct cta cta cag cgc caa cga gca gtg ccg cgt ggc ctt cgg 720

Trp Pro Leu Leu Gln Arg Gln Arg Ala Val Pro Arg Gly Leu Arg

230 235 240

ccc caa ggc tgt cgc ctg cac ctt cgc cag gga gca cct gga tat 765

Pro Gln Gly Cys Arg Leu His Leu Arg Gln Gly Ala Pro Gly Tyr

245 250 255

gtg cca ggc cct ctc ctg cca cac aga ccc gct gga cca aag cag 810

Val Pro Gly Pro Leu Leu Pro His Arg Pro Ala Gly Pro Lys Gln

260 265 270

ctg cag ccg cct cct cgt tcc tct cct gga tgg gac aga atg tgg 855

Leu Gln Pro Pro Pro Arg Ser Ser Pro Gly Trp Asp Arg Met Trp

275 280 285

cgt gga gaa gtg gtg ctc caa ggg tcg ctg ccg ctc cct ggt gga 900

Arg Gly Glu Val Val Leu Gln Gly Ser Leu Pro Leu Pro Gly Gly

290 295 300

gct gac ccc cat agc agc agt gca tgg gcg ctg gtc 936

Ala Asp Pro His Ser Ser Ser Ala Trp Ala Leu Val

305 310

<210>21

<211>270

<212>PRT

<213> Homo sapiens

<400>21

gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc 45
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1 5 10 15

ccc gat gtc ttc cag gct cac cag gag gac aca gag cgc tat gtg 90
Pro Asp Val Phe Gln Ala His Gln Glu Asp Thr Glu Arg Tyr Val
20 25 30

ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc 135
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
35 40 45

ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg 180
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
50 55 60

aca gag cct gag ggt gct cca aat atc aca gcc aac ctc acc tcg 225
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65 70 75

tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag 270
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
80 85 90

gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act 315
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
95 100 105

agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc 360
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
110 115 120
gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc 405
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
125 130 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat 450
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
140 145 150
gag att ggg cac agc ttc ggc ctg gag cac gac ggc gcg ccc ggc 495
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp Gly Ala Pro Gly
155 160 165
agc ggc tgc ggc ccc agc gga cac gtg atg gct tcg gac ggc gcc 540
Ser Gly Cys Gly Pro Ser Gly His Val Met Ala Ser Asp Gly Ala
170 175 180
gcg ccc cgc gcc ggc ctc gcc tgg tcc ccc tgc agc cgc cgg cag 585
Ala Pro Arg Ala Gly Leu Ala Trp Ser Pro Cys Ser Arg Arg Gln
185 190 195
ctg ctg agc ctg ctc aga ccc gtc cct ccg tcg ccg ctc cct ctg 630
Leu Leu Ser Leu Leu Arg Pro Val Pro Pro Ser Pro Leu Pro Leu
200 205 210
ctg gcc acc cac ctc tgc gcc ggc agg agc ctt agt ctt ggt ccc 675
Leu Ala Thr His Leu Cys Ala Gly Arg Ser Leu Ser Leu Gly Pro
215 220 225
agc caa gag ccg gct cct ggt ggg ggg cgc ggg ccg aga act cct 720
Ser Gln Glu Pro Ala Pro Gly Gly Gly Arg Gly Pro Arg Thr Pro
230 235 240
gtt ccc act cac aaa agg cca cgc ttc caa acg ctt cca tcc tcg 765

Val Pro Thr His Lys Arg Pro Arg Phe Gln Thr Leu Pro Ser Ser

245 250 255

tgc cca ctc ctc cgt ccc gcc tcc tcc cgg tgt aca ccc cgg gac 810

Cys Pro Leu Leu Arg Pro Ala Ser Ser Arg Cys Thr Pro Arg Asp

260 265 270

FIG. 1


Cleavage site 842Tyr-843Met
vWF 1
N
140kDa
176kDa
C
vWF 2
N
C
140kDa × 2
N
C
N
C
176kDa × 2
N
C
vWF n
N
C

FIG. 2



Normal human plasma

Purified vWF

FIG. 3


Plasma
Cryoprecipitate
F1 supernatant
F1 paste
kDa
200
120
85
Intact vWF molecule
(remaining uncleaved)
vWF-cleavage fragment
vWF-cleavage fragment

FIG. 4



FIG. 5A



FIG. 5B


Pool
Fraction No.
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
kDa
250
150
105
75
50

FIG. 5C


Pool
Fraction No.
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
kDa
250
150
100
75
Intact vWF molecule
(remaining uncleaved)
vWF-cleavage fragment
vWF-cleavage fragment

FIG. 6A



FIG. 6B



FIG. 6C


Applied
Passed through / Washed
Eluted (pooled fraction)
kDa
250
150
100
75

FIG. 7


Fraction No.
5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150
kDa
250
160
105
75
50

FIG. 8A


Pool
Fraction No.
70 7172 73 7475 76 7778 79 80 81 8283 84 85 86 87 88 89 90 91 92 93 94
Intact vWF molecule
(remaining uncleaved)
kDa
250
150
vWF-cleavage fragment
vWF-cleavage fragment

FIG. 8B


Pool
Fraction No.
75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92
kDa
250
160
105
Purified
vWF-cleaving
protease

FIG. 9

```
gct gca ggc ggc atc cta cac ctg gag ctg ctg gtg gcc gtg ggc
Ala Ala Gly Gly Ile Leu His Leu Glu Leu Leu Val Ala Val Gly
1               5                  10                  15
ccc gat gtc ttc cag gct cac cag aag gac aca gag cgc tat gtg
Pro Asp Val Phe Gln Ala His Gln Lys Asp Thr Glu Arg Tyr Val
            20                  25                  30
ctc acc aac ctc aac atc ggg gca gaa ctg ctt cgg gac ccg tcc
Leu Thr Asn Leu Asn Ile Gly Ala Glu Leu Leu Arg Asp Pro Ser
        35                  40                  45
ctg ggg gct cag ttt cgg gtg cac ctg gtg aag atg gtc att ctg
Leu Gly Ala Gln Phe Arg Val His Leu Val Lys Met Val Ile Leu
    50                  55                  60
aca gag cct gag ggt gct cca aat atc aca gca aac ctc acc tcg
Thr Glu Pro Glu Gly Ala Pro Asn Ile Thr Ala Asn Leu Thr Ser
65                  70                  75
tcc ctg ctg agc gtc tgt ggg tgg agc cag acc atc aac cct gag
Ser Leu Leu Ser Val Cys Gly Trp Ser Gln Thr Ile Asn Pro Glu
            80                  85                  90
gac gac acg gat cct ggc cat gct gac ctg gtc ctc tat atc act
Asp Asp Thr Asp Pro Gly His Ala Asp Leu Val Leu Tyr Ile Thr
        95                  100                 105
agg ttt gac ctg gag ttg cct gat ggt aac cgg cag gtg cgg ggc
Arg Phe Asp Leu Glu Leu Pro Asp Gly Asn Arg Gln Val Arg Gly
    110                 115                 120
gtc acc cag ctg ggc ggt gcc tgc tcc cca acc tgg agc tgc ctc
Val Thr Gln Leu Gly Gly Ala Cys Ser Pro Thr Trp Ser Cys Leu
125                 130                 135
att acc gag gac act ggc ttc gac ctg gga gtc acc att gcc cat
Ile Thr Glu Asp Thr Gly Phe Asp Leu Gly Val Thr Ile Ala His
            140                 145                 150
gag att ggg cac agc ttc ggc ctg gag cac gac
Glu Ile Gly His Ser Phe Gly Leu Glu His Asp
        155                 160
```

FIG. 10



brain
heart
skeletal muscle
colon (no mucosa)
thymus
spleen
kidney
liver
small intestine
placenta
lung
peripheral blood leukocyte

FIG. 11

gctgcaggcg gcatcctaca cctggagctg ctggtggccg tgggccccga tgtcttccag

Primer 1

gctcaccaga aggacacaga gcgctatgtg ctcaccaacc tcaacatcgg ggcagaactg

Primer 3

cttcgggacc cgtccctggg ggctcagttt cgggtgcacc tggtgaagat ggtcattctg

acagagcctg agggtgctcc aaatatcaca gcaaacctca cctcgtccct gctgagcgtc

tgtgggtgga gccagaccat caaccctgag gacgacacgg atcctggcca tgctgacctg

Primer 4

gtcctctata tcactaggtt tgacctggag ttgcctgatg gtaaccggca ggtgcggggc

gtcacccagc tgggcggtgc ctgctcccca acctggagct gcctcattac cgaggacact

ggcttcgacc tgggagtcac cattgcccat gagattgggc acagcttcgg cctggagcac

Primer 2

gac

Primer 1
Sense: gctgcaggcg gcatcctaca cctggagctg
Antisense : cagctccagg tgtaggatgc cgcctgcagc

Primer 2
Sense : accattgccc atgagattgg g
Antisense : cccaatctca tgggcaatgg t

Primer 3
Sense : gcgctatgtg ctcaccaacc tcaacatcgg
Antisense : ccgatgttga ggttggtgag cacatagcgc

Primer 4
Sense : atcaaccctg aggacgacac
Antisense : gtgtcgtcct cagggttgat